



Tangla
Lighting & Living

collection 2025
DIY concept





fabric cable

round / single color / 2 core



TLCB01001BW
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01002BW
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01003BW
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01004BW
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01005BW
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01006BW
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01007BW
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01008BW
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m




TLCB01009BW
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m

fabric cable

round / single color / 2 core



TLCB01001PP	TLCB01002PP	TLCB01003PP	TLCB01004PP
Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m




TLCB01010BL	TLCB01011BL	TLCB01012BL	TLCB01007BL	TLCB01008BL	TLCB01009BL
Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01001BL	TLCB01002BL	TLCB01003BL	TLCB01004BL	TLCB01005BL	TLCB01006BL
Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m

fabric cable

round / single color / 2 core



TLCB01001YL	TLCB01002YL	TLCB01003YL	TLCB01004YL	TLCB01005YL	TLCB01006YL
Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01007KH	TLCB01008KH	TLCB01009KH	TLCB01010KH	TLCB01011KH	TLCB01012KH
Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01001KH	TLCB01002KH	TLCB01003KH	TLCB01004KH	TLCB01005KH	TLCB01006KH
Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



fabric cable

round / single color / 2 core

					
TLCB01001GN	TLCB01002GN	TLCB01003GN	TLCB01004GN	TLCB01005GN	TLCB01006GN
Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m
					
TLCB01007GN	TLCB01008GN	TLCB01009GN	TLCB01010GN	TLCB01011GN	TLCB01012GN
Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m
					
TLCB01013GN	TLCB01014GN	TLCB01015GN	TLCB01016GN	TLCB01017GN	TLCB01018GN
Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m

fabric cable

round / single color / 2 core

					
TLCB01001OG	TLCB01002OG	TLCB01003OG	TLCB01004OG		
Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²		
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m		
					
TLCB01001RD	TLCB01002RD	TLCB01003RD	TLCB01004RD	TLCB01005RD	TLCB01006RD
Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m
					
TLCB01007RD	TLCB01008RD	TLCB01009RD	TLCB01010RD	TLCB01011RD	TLCB01012RD
Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²	Ø 5.5 mm ∅ 2 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



fabric cable

round / single color / 2 core



TLCB01001SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01002SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01003SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01004SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01005SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01006SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01007SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01008SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01009SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01010SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01011SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01012SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01013SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01014SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01015SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01016SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01017SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



fabric cable

round / double color / 2 core



TLCB03001A

Ø 5.5 mm ∅ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03002A

Ø 5.5 mm ∅ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03003A

Ø 5.5 mm ∅ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03004A

Ø 5.5 mm ∅ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03005A

Ø 5.5 mm ∅ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03006A

Ø 5.5 mm ∅ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03007A

Ø 5.5 mm ∅ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03008A

Ø 5.5 mm ∅ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03009A

Ø 5.5 mm ∅ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03010A

Ø 5.5 mm ∅ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03011A

Ø 5.5 mm ∅ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m




TLCB03012A

Ø 5.5 mm ∅ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m




TLCB03013A

Ø 5.5 mm ∅ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m




TLCB03014A

Ø 5.5 mm ∅ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03015A

Ø 5.5 mm ∅ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03016A

Ø 5.5 mm ∅ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03017A

Ø 5.5 mm ∅ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03018A

Ø 5.5 mm ∅ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m

fabric cable

round / double color / 2 core



TLCB03001B

Ø 5.5 mm ∅ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03002B

Ø 5.5 mm ∅ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03003B

Ø 5.5 mm ∅ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03004B

Ø 5.5 mm ∅ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m





fabric cable

round / double color / 2 core



TLCB03001D
 $\varnothing$ 5.5 mm ∞ 2 x 0.75 mm²
 ‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03002D
 $\varnothing$ 5.5 mm ∞ 2 x 0.75 mm²
 ‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03003D
 $\varnothing$ 5.5 mm ∞ 2 x 0.75 mm²
 ‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03004D
 $\varnothing$ 5.5 mm ∞ 2 x 0.75 mm²
 ‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03001C
 $\varnothing$ 5.5 mm ∞ 2 x 0.75 mm²
 ‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03002C
 $\varnothing$ 5.5 mm ∞ 2 x 0.75 mm²
 ‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03003C
 $\varnothing$ 5.5 mm ∞ 2 x 0.75 mm²
 ‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03004C
 $\varnothing$ 5.5 mm ∞ 2 x 0.75 mm²
 ‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03005C
 $\varnothing$ 5.5 mm ∞ 2 x 0.75 mm²
 ‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03001E
 $\varnothing$ 5.5 mm ∞ 2 x 0.75 mm²
 ‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03002E
 $\varnothing$ 5.5 mm ∞ 2 x 0.75 mm²
 ‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03001F
 $\varnothing$ 5.5 mm ∞ 2 x 0.75 mm²
 ‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03002F
 $\varnothing$ 5.5 mm ∞ 2 x 0.75 mm²
 ‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03001G
 $\varnothing$ 5.5 mm ∞ 2 x 0.75 mm²
 ‡ 1.5 / 3 / 15 / 30 / 50 m




TLCB03002G
 $\varnothing$ 5.5 mm ∞ 2 x 0.75 mm²
 ‡ 1.5 / 3 / 15 / 30 / 50 m

fabric cable

round / single color / 3 core



TLCB01001BW	TLCB01002BW	TLCB01003BW
Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01004BW	TLCB01005BW	TLCB01006BW	TLCB01007BW	TLCB01008BW	TLCB01009BW
Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 6 mm & 3 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m

fabric cable

round / single color / 3 core



TLCB01001PP

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01002PP

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01003PP

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01004PP

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01010BL

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01011BL

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01012BL

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01007BL

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01008BL

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01009BL

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01001BL

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01002BL

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01003BL

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01004BL

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01005BL

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01006BL

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01001YL

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01002YL

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01003YL

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01004YL

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01005YL

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01006YL

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01007KH

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01008KH

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01009KH

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01010KH

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01011KH

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01012KH

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01001KH

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01002KH

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01003KH

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01004KH

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01005KH

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01006KH

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



fabric cable

round / single color / 3 core

fabric cable

round / single color / 3 core

					
TLCB01001GN	TLCB01002GN	TLCB01003GN	TLCB01004GN	TLCB01005GN	TLCB01006GN
Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m
					
TLCB01007GN	TLCB01008GN	TLCB01009GN	TLCB01010GN	TLCB01011GN	TLCB01012GN
Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m
					
TLCB01013GN	TLCB01014GN	TLCB01015GN	TLCB01016GN	TLCB01017GN	TLCB01018GN
Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m

fabric cable

round / single color / 3 core

					
TLCB01001OG	TLCB01002OG	TLCB01003OG	TLCB01004OG		
Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m		
					
TLCB01001RD	TLCB01002RD	TLCB01003RD	TLCB01004RD	TLCB01005RD	TLCB01006RD
Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m
					
TLCB01007RD	TLCB01008RD	TLCB01009RD	TLCB01010RD	TLCB01011RD	TLCB01012RD
Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m	Ø 5.7 mm & 3 x 0.75 mm ² ‡ 1.5 / 3 / 15 / 30 / 50 m

fabric cable

round / single color / 3 core



TLCB01001SV
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01002SV
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01003SV
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01004SV
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01005SV
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01006SV
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01007SV
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01008SV
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01009SV
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01010SV
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01011SV
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01012SV
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01013SV
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01014SV
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01015SV
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB01016SV
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m






TLCB01017SV
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



fabric cable

round / double color / 3 core

					
TLCB03001A	TLCB03002A	TLCB03003A	TLCB03004A	TLCB03005A	TLCB03006A
Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m
					
TLCB03007A	TLCB03008A	TLCB03009A	TLCB03010A	TLCB03011A	TLCB03012A
Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m
					
TLCB03013A	TLCB03014A	TLCB03015A	TLCB03016A	TLCB03017A	TLCB03018A
Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m

fabric cable

round / double color / 3 core

			
TLCB03001B	TLCB03002B	TLCB03003B	TLCB03004B
Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



fabric cable

round / double color / 3 core



TLCB03001D
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03002D
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03003D
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03004D
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03001C
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03002C
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03003C
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03004C
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03005C
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03001E
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03002E
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03001F
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03002F
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03001G
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB03002G
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



fabric cable

twisted / single color / 2 core



TLCB02001BW

Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02002BW

Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02003BW

Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02004BW

Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02005BW

Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02006BW

Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02007BW

Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02008BW

Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02009BW

Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m

fabric cable

twisted / single color / 2 core



TLCB02001PP	TLCB02002PP	TLCB02003PP	TLCB02004PP
Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02010BL	TLCB02011BL	TLCB02012BL	TLCB02007BL	TLCB02008BL	TLCB02009BL
Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02001BL	TLCB02002BL	TLCB02003BL	TLCB02004BL	TLCB02005BL	TLCB02006BL
Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m

fabric cable

twisted / single color / 2 core



TLCB02001YL	TLCB02002YL	TLCB02003YL	TLCB02004YL	TLCB02005YL	TLCB02006YL
Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02007KH	TLCB02008KH	TLCB02009KH	TLCB02010KH	TLCB02011KH	TLCB02012KH
Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02001KH	TLCB02002KH	TLCB02003KH	TLCB02004KH	TLCB02005KH	TLCB02006KH
Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m

fabric cable

twisted / single color / 2 core



TLCB02001GN	TLCB02002GN	TLCB02003GN	TLCB02004GN	TLCB02005GN	TLCB02006GN
Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02007GN	TLCB02008GN	TLCB02009GN	TLCB02010GN	TLCB02011GN	TLCB02012GN
Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02013GN	TLCB02014GN	TLCB02015GN	TLCB02016GN	TLCB02017GN	TLCB02018GN
Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m

fabric cable

twisted / single color / 2 core



TLCB02001OG	TLCB02002OG	TLCB02003OG	TLCB02004OG
Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02001RD	TLCB02002RD	TLCB02003RD	TLCB02004RD	TLCB02005RD	TLCB02006RD
Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02007RD	TLCB02008RD	TLCB02009RD	TLCB02010RD	TLCB02011RD	TLCB02012RD
Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²	Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



fabric cable

twisted / single color / 2 core



TLCB02001SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02002SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02003SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02004SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02005SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02006SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02007SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02008SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02009SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02010SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02011SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02012SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02013SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02014SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02015SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02016SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02017SV
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02001MX
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02002MX
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02003MX
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02004MX
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02005MX
Ø 5.5 mm ∞ 2 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m

fabric cable

twisted / double color / 2 core



fabric cable

twisted / single color / 3 core



TLCB02001BW	TLCB02002BW	TLCB02003BW
Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02004BW	TLCB02005BW	TLCB02006BW	TLCB02007BW	TLCB02008BW	TLCB02009BW
Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m

fabric cable

twisted / single color / 3 core



TLCB02001PP	TLCB02002PP	TLCB02003PP	TLCB02004PP
Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02010BL	TLCB02011BL	TLCB02012BL	TLCB02007BL	TLCB02008BL	TLCB02009BL
Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02001BL	TLCB02002BL	TLCB02003BL	TLCB02004BL	TLCB02005BL	TLCB02006BL
Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m

fabric cable

twisted / single color / 3 core



TLCB02001YL
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02002YL
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02003YL
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02004YL
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02005YL
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02006YL
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02007KH
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02008KH
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02009KH
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02010KH
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02011KH
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02012KH
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02001KH
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02002KH
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02003KH
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02004KH
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02005KH
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02006KH
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m

fabric cable

twisted / single color / 3 core



TLCB02001GN
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02002GN
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02003GN
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02004GN
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02005GN
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02006GN
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02007GN
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02008GN
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02009GN
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02010GN
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02011GN
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02012GN
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02013GN
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02014GN
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02015GN
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02016GN
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02017GN
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02018GN
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



fabric cable

twisted / single color / 3 core



TLCB02001OG	TLCB02002OG	TLCB02003OG	TLCB02004OG
Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02001RD	TLCB02002RD	TLCB02003RD	TLCB02004RD	TLCB02005RD	TLCB02006RD
Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02007RD	TLCB02008RD	TLCB02009RD	TLCB02010RD	TLCB02011RD	TLCB02012RD
Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m

fabric cable

twisted / single color / 3 core



TLCB02001SV	TLCB02002SV	TLCB02003SV	TLCB02004SV	TLCB02005SV
Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02006SV	TLCB02007SV	TLCB02008SV	TLCB02009SV	TLCB02010SV	TLCB02011SV
Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02012SV	TLCB02013SV	TLCB02014SV	TLCB02015SV	TLCB02016SV	TLCB02017SV
Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²	Ø 5.7 mm & 3 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m

fabric cable

twisted / double color / 3 core



TLCB02001MX
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02002MX
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02003MX
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02004MX
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB02005MX
Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m

coton cable

rope / single color / 2 core




TLCB04001WT	TLCB04002GY	TLCB04003BK
Ø 20 mm ∞ 2 x 0.75 mm ²	Ø 20 mm ∞ 2 x 0.75 mm ²	Ø 20 mm ∞ 2 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB04004YW	TLCB04005OG	TLCB04006RD	TLCB04009PP	TLCB04007BL	TLCB04008GN
Ø 20 mm ∞ 2 x 0.75 mm ²	Ø 20 mm ∞ 2 x 0.75 mm ²	Ø 20 mm ∞ 2 x 0.75 mm ²	Ø 20 mm ∞ 2 x 0.75 mm ²	Ø 20 mm ∞ 2 x 0.75 mm ²	Ø 20 mm ∞ 2 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m

coton cable

round / single color / 2 core



TLCB04009YL	TLCB04010GN
Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB04011WT	TLCB04012WT	TLCB04013OG	TLCB04014BN	TLCB04015GY
Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²	Ø 5.5 mm ∞ 2 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m

coton cable

rope / single color / 3 core



TLCB04001WT

Ø 20 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB04002GY

Ø 20 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB04003BK

Ø 20 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB04004YW

Ø 20 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB04005OG

Ø 20 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB04006RD

Ø 20 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB04009PP

Ø 20 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB04007BL

Ø 20 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB04008GN

Ø 20 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m

coton cable

round / single color / 3 core



TLCB04009YL

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB04010GN

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB04011WT

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB04012WT

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB04013OG

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB04014BN

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m



TLCB04015GY

Ø 5.7 mm & 3 x 0.75 mm²
‡ 1.5 / 3 / 15 / 30 / 50 m

jute cable

single color / 2 core



TLCB05001JT	TLCB05002JT	TLCB05003JT	TLCB05004JT	TLCB05005JT
Ø 20 mm ∞ 2 x 0.75 mm ²	Ø 25 mm ∞ 2 x 0.75 mm ²	Ø 30 mm ∞ 2 x 0.75 mm ²	Ø 35 mm ∞ 2 x 0.75 mm ²	Ø 9 mm ∞ 2 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m

jute cable

single color / 3 core



TLCB05001JT	TLCB05002JT	TLCB05003JT	TLCB05004JT	TLCB05005JT
Ø 20 mm ⋈ 3 x 0.75 mm ²	Ø 25 mm ⋈ 3 x 0.75 mm ²	Ø 30 mm ⋈ 3 x 0.75 mm ²	Ø 35 mm ⋈ 3 x 0.75 mm ²	Ø 9 mm ⋈ 3 x 0.75 mm ²
‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m	‡ 1.5 / 3 / 15 / 30 / 50 m



lamp holder

bakelite



TLLH001WT white
E14
Ø 3.8 cm ↑ 7.4 cm



TLLH002WT white
E14
Ø 3.8 cm ↑ 7.4 cm



TLLH003WT white
E27
Ø 3.8 cm ↑ 7.4 cm



TLLH003BK black
E27
Ø 3.8 cm ↑ 7.4 cm



TLLH004WT white
E27
Ø 5.5 cm ↑ 7.4 cm



TLLH004BK black
E27
Ø 5.5 cm ↑ 7.4 cm



TLLH005WT white
E27
Ø 5.5 cm ↑ 7.4 cm



TLLH005BK black
E27
Ø 5.5 cm ↑ 7.4 cm



TLLH006BK black
E27
Ø 5.8 cm ↑ 8 cm



lamp holder

metal / E27



TLLH007WT white
E27
Ø 3.8 cm 7.5 cm



TLLH007BK black
E27
Ø 3.8 cm 7.5 cm



TLLH007CR chrome
E27
Ø 3.8 cm 7.5 cm



TLLH007GD gold
E27
Ø 3.8 cm 7.5 cm



TLLH007CP copper
E27
Ø 3.8 cm 7.5 cm



TLLH007BS brass
E27
Ø 3.8 cm 7.5 cm



TLLH007CF concrete finish
E27
Ø 3.8 cm 7.5 cm



TLLH007RS rusty
E27
Ø 3.8 cm 7.5 cm



TLLH007GM burned metal
E27
Ø 3.8 cm 7.5 cm



TLLH007BPL black pearl
E27
Ø 3.8 cm 7.5 cm

lamp holder

metal / E27



lamp holder

metal / E27





lamp holder

aluminum / E27



TLLH010WT white
E27
Ø 4.6 cm ‡ 7 cm



TLLH010BK black
E27
Ø 4.6 cm ‡ 7 cm



TLLH010MS mat satin
E27
Ø 4.6 cm ‡ 7 cm



TLLH010GD gold
E27
Ø 4.6 cm ‡ 7 cm



TLLH010CP copper
E27
Ø 4.6 cm ‡ 7 cm



TLLH010BS brass
E27
Ø 4.6 cm ‡ 7 cm



TLLH010CF concrete finish
E27
Ø 4.6 cm ‡ 7 cm



TLLH010GM burned metal
E27
Ø 4.6 cm ‡ 7 cm



TLLH010BPL black pearl
E27
Ø 4.6 cm ‡ 7 cm





lamp holder

metal / E27



TLLH011WT white
E27 Ø 6 cm ‡ 8.5 cm



TLLH011BK black
E27 Ø 6 cm ‡ 8.5 cm



TLLH011CR chrome
E27 Ø 6 cm ‡ 8.5 cm



TLLH011GD gold
E27 Ø 6 cm ‡ 8.5 cm



TLLH011CP copper
E27 Ø 6 cm ‡ 8.5 cm



TLLH010BS brass
E27 Ø 6 cm ‡ 8.5 cm



TLLH010CF concrete finish
E27 Ø 6 cm ‡ 8.5 cm



TLLH010RS rusty
E27 Ø 6 cm ‡ 8.5 cm



TLLH010GM burned metal
E27 Ø 6 cm ‡ 8.5 cm



TLLH010BPL black pearl
E27 Ø 6 cm ‡ 8.5 cm

lamp holder

aluminum / E27



					
TLLH009WT	TLLH009BK	TLLH009MS	TLLH009GD	TLLH009CP	TLLH009BS
white	black	mat satin	gold	copper	brass
 E27	 E27	 E27	 E27	 E27	 E27
Ø 4.9 cm	Ø 4.9 cm	Ø 4.9 cm	Ø 4.9 cm	Ø 4.9 cm	Ø 4.9 cm
‡ 8.8 cm	‡ 8.8 cm	‡ 8.8 cm	‡ 8.8 cm	‡ 8.8 cm	‡ 8.8 cm

			
TLLH009CF	TLLH009RS	TLLH00911GM	TLLH009BPL
sand white	rusty	burned metal	black pearl
 E27	 E27	 E27	 E27
Ø 4.9 cm	Ø 4.9 cm	Ø 4.9 cm	Ø 4.9 cm
‡ 8.8 cm	‡ 8.8 cm	‡ 8.8 cm	‡ 8.8 cm

lamp holder

aluminum / E27



					
TLLH012WT	TLLH012BK	TLLH012MS	TLLH012GD	TLLH012CP	TLLH012BS
white	black	mat satin	gold	copper	brass
 E27	 E27	 E27	 E27	 E27	 E27
Ø 4.5 cm	Ø 4.5 cm	Ø 4.5 cm	Ø 4.5 cm	Ø 4.5 cm	Ø 4.5 cm
‡ 7.5 cm	‡ 7.5 cm	‡ 7.5 cm	‡ 7.5 cm	‡ 7.5 cm	‡ 7.5 cm

			
TLLH012CF	TLLH012RS	TLLH012GM	TLLH012BPL
concrete finish	rusty	burned metal	black pearl
 E27	 E27	 E27	 E27
Ø 4.5 cm	Ø 4.5 cm	Ø 4.5 cm	Ø 4.5 cm
‡ 7.5 cm	‡ 7.5 cm	‡ 7.5 cm	‡ 7.5 cm



lamp holder

aluminum / E27



TLLH014SW sand white
E27
Ø 4.4 cm ‡ 9 cm



TLLH014SB sand black
E27
Ø 4.4 cm ‡ 9 cm



TLLH014MS mat satin
E27
Ø 4.4 cm ‡ 9 cm



TLLH014GD gold
E27
Ø 4.4 cm ‡ 9 cm



TLLH014CP copper
E27
Ø 4.4 cm ‡ 9 cm



TLLH014BS brass
E27
Ø 4.4 cm ‡ 9 cm



TLLH014CF concrete finish
E27
Ø 4.4 cm ‡ 9 cm



TLLH014GM burned metal
E27
Ø 4.4 cm ‡ 9 cm



TLLH014BPL black pearl
E27
Ø 4.4 cm ‡ 9 cm

lamp holder

aluminum / E27



					
TLLH015SW sand white	TLLH015SB sand black	TLLH015MS mat satin	TLLH015GD gold	TLLH015CP cooper	TLLH015BS brass
E27	E27	E27	E27	E27	E27
Ø 4.8 cm	Ø 4.8 cm	Ø 4.8 cm	Ø 4.8 cm	Ø 4.8 cm	Ø 4.8 cm
11 cm	11 cm	11 cm	11 cm	11 cm	11 cm

			
TLLH015CF concrete finish	TLLH015RS rusty	TLLH015GM burned metal	TLLH015BPL black pearl
E27	E27	E27	E27
Ø 4.8 cm	Ø 4.8 cm	Ø 4.8 cm	Ø 4.8 cm
11 cm	11 cm	11 cm	11 cm

lamp holder

aluminum / E27



TLLH016SW sand white
E27
Ø 4.8 cm ‡ 14 cm



TLLH016SB sand black
E27
Ø 4.8 cm ‡ 14 cm



TLLH016MS mat satin
E27
Ø 4.8 cm ‡ 14 cm



TLLH016GD gold
E27
Ø 4.8 cm ‡ 14 cm



TLLH016CP cooper
E27
Ø 4.8 cm ‡ 14 cm



TLLH016BS brass
E27
Ø 4.8 cm ‡ 14 cm



TLLH016CF concrete finish
E27
Ø 4.8 cm ‡ 14 cm



TLLH016RS rusty
E27
Ø 4.8 cm ‡ 14 cm



TLLH016GM burned metal
E27
Ø 4.8 cm ‡ 14 cm



TLLH016BPL black pearl
E27
Ø 4.8 cm ‡ 14 cm

lamp holder

aluminum / E27



TLLH017SW sand white
E27
Ø 4.8 cm ‡ 23 cm



TLLH017SB sand black
E27
Ø 4.8 cm ‡ 23 cm



TLLH017MS mat satin
E27
Ø 4.8 cm ‡ 23 cm



TLLH017GD gold
E27
Ø 4.8 cm ‡ 23 cm



TLLH017CP cooper
E27
Ø 4.8 cm ‡ 23 cm



TLLH017BS brass
E27
Ø 4.8 cm ‡ 23 cm



TLLH017CF concrete finish
E27
Ø 4.8 cm ‡ 23 cm



TLLH017RS rusty
E27
Ø 4.8 cm ‡ 23 cm



TLLH017GM burned metal
E27
Ø 4.8 cm ‡ 23 cm



TLLH017BPL black pearl
E27
Ø 4.8 cm ‡ 23 cm

lamp holder

wood / E27



			
TLLH018WT white	TLLH018BK black	TLLH018NT natural	TLLH018BN brown
 E27 Ø 5 cm ‡ 6 cm	 E27 Ø 5 cm ‡ 6 cm	 E27 Ø 5 cm ‡ 6 cm	 E27 Ø 5 cm ‡ 6 cm
			
TLLH019WT white	TLLH019BK black	TLLH019NT natural	TLLH019BN brown
 E27 ↔ 6 x 6 cm ‡ 6 cm	 E27 ↔ 6 x 6 cm ‡ 6 cm	 E27 ↔ 6 x 6 cm ‡ 6 cm	 E27 ↔ 6 x 6 cm ‡ 6 cm
			
TLLH020WT white	TLLH020BK black	TLLH020NT natural	TLLH020BN brown
 E27 Ø 5 cm ‡ 6.5 cm	 E27 Ø 5 cm ‡ 6.5 cm	 E27 Ø 5 cm ‡ 6.5 cm	 E27 Ø 5 cm ‡ 6.5 cm



lamp holder

wood + aluminum / E27



TLLH021SW sand white
E27
Ø 4.8 cm ‡ 11 cm



TLLH021SB sand black
E27
Ø 4.8 cm ‡ 11 cm



TLLH021MS mat satin
E27
Ø 4.8 cm ‡ 11 cm



TLLH021GD gold
E27
Ø 4.8 cm ‡ 11 cm



TLLH021CP copper
E27
Ø 4.8 cm ‡ 11 cm



TLLH021BS brass
E27
Ø 4.8 cm ‡ 11 cm



TLLH021CF concrete finish
E27
Ø 4.8 cm ‡ 11 cm



TLLH021RS rusty
E27
Ø 4.8 cm ‡ 11 cm



TLLH021GM burned metal
E27
Ø 4.8 cm ‡ 11 cm



TLLH021BPL black pearl
E27
Ø 4.8 cm ‡ 11 cm

lamp holder

wood + aluminum / E27

lamp holder

wood + aluminum / E27



					
TLLH022SW	TLLH022SB	TLLH022MS	TLLH022GD	TLLH022CP	TLLH022BS
sand white	sand black	mat satin	gold	copper	brass
 E27	 E27	 E27	 E27	 E27	 E27
Ø 4.8 cm	Ø 4.8 cm	Ø 4.8 cm	Ø 4.8 cm	Ø 4.8 cm	Ø 4.8 cm
‡ 14 cm	‡ 14 cm	‡ 14 cm	‡ 14 cm	‡ 14 cm	‡ 14 cm

			
TLLH022CF	TLLH022RS	TLLH022GM	TLLH022BPL
concrete finish	rusty	burned metal	black pearl
 E27	 E27	 E27	 E27
Ø 4.8 cm	Ø 4.8 cm	Ø 4.8 cm	Ø 4.8 cm
‡ 14 cm	‡ 14 cm	‡ 14 cm	‡ 14 cm

					
TLLH023SW	TLLH023SB	TLLH023MS	TLLH023GD	TLLH023CP	TLLH023BS
sand white	sand black	mat satin	gold	copper	brass
 E27	 E27	 E27	 E27	 E27	 E27
Ø 4.8 cm	Ø 4.8 cm	Ø 4.8 cm	Ø 4.8 cm	Ø 4.8 cm	Ø 4.8 cm
‡ 23 cm	‡ 23 cm	‡ 23 cm	‡ 23 cm	‡ 23 cm	‡ 23 cm

			
TLLH023CF	TLLH023RS	TLLH023GM	TLLH023BPL
concrete finish	rusty	burned metal	black pearl
 E27	 E27	 E27	 E27
Ø 4.8 cm	Ø 4.8 cm	Ø 4.8 cm	Ø 4.8 cm
‡ 23 cm	‡ 23 cm	‡ 23 cm	‡ 23 cm



lamp holder

silicon/ E27

					
TLLH024TT transparent	TLLH024WT white	TLLH024BK black	TLLH024GY grey	TLLH024RD red	TLLH024OG orange
E27 Ø 4.0 cm ‡ 9.7 cm	E27 Ø 4.0 cm ‡ 9.7 cm	E27 Ø 4.0 cm ‡ 9.7 cm	E27 Ø 4.0 cm ‡ 9.7 cm	E27 Ø 4.0 cm ‡ 9.7 cm	E27 Ø 4.0 cm ‡ 9.7 cm
					
TLLH024PK pink	TLLH024BN brown	TLLH024LBL light blue	TLLH024BL blue	TLLH024PP purple	TLLH024GN green
E27 Ø 4.0 cm ‡ 9.7 cm	E27 Ø 4.0 cm ‡ 9.7 cm	E27 Ø 4.0 cm ‡ 9.7 cm	E27 Ø 4.0 cm ‡ 9.7 cm	E27 Ø 4.0 cm ‡ 9.7 cm	E27 Ø 4.0 cm ‡ 9.7 cm
					
TLLH024LG lake green	TLLH025FG fruit green	TLLH024YE yellow			
E27 Ø 4.0 cm ‡ 9.7 cm	E27 Ø 4.0 cm ‡ 9.7 cm	E27 Ø 4.0 cm ‡ 9.7 cm			



lamp holder

porcelain / E27




					
TLLH025WT white	TLLH025BK black	TLLH025GY grey	TLLH025RD red	TLLH025BN brown	TLLH025BL blue
 E27	 E27	 E27	 E27	 E27	 E27
Ø 4.5 cm ‡ 8.2 cm	Ø 4.5 cm ‡ 8.2 cm	Ø 4.5 cm ‡ 8.2 cm	Ø 4.5 cm ‡ 8.2 cm	Ø 4.5 cm ‡ 8.2 cm	Ø 4.5 cm ‡ 8.2 cm

	
TLLH025GN green	TLLH025YE yellow
 E27	 E27
Ø 4.5 cm ‡ 8.2 cm	Ø 4.5 cm ‡ 8.2 cm



lamp holder

water stone / E27



TLLH026WT white
E27
Ø 6 cm ‡ 8.5 cm



TLLH026AR anthracite
E27
Ø 6 cm ‡ 8.5 cm



TLLH026BK black
E27
Ø 6 cm ‡ 8.5 cm



TLLH026RD red
E27
Ø 6 cm ‡ 8.5 cm



TLLH026BL blue
E27
Ø 6 cm ‡ 8.5 cm



TLLH026CR concrete
E27
Ø 6 cm ‡ 8.5 cm



lamp holder

water stone / E27



lamp holder


water stone / E27



TLLH027WT white
E27
Ø 6 cm ‡ 8 cm



TLLH027AR anthracite
E27
Ø 6 cm ‡ 8 cm



TLLH027BK black
E27
Ø 6 cm ‡ 8 cm



TLLH027RD red
E27
Ø 6 cm ‡ 8 cm



TLLH027BL blue
E27
Ø 6 cm ‡ 8 cm



TLLH027CR concrete
E27
Ø 6 cm ‡ 8 cm



TLLH028WT white
E27
Ø 6 cm ‡ 14 cm



TLLH028AR anthracite
E27
Ø 6 cm ‡ 14 cm



TLLH028BK black
E27
Ø 6 cm ‡ 14 cm



TLLH028RD red
E27
Ø 6 cm ‡ 14 cm



TLLH028BL blue
E27
Ø 6 cm ‡ 14 cm



TLLH028CR concrete
E27
Ø 6 cm ‡ 14 cm

lamp holder

waterstone / E27



					
TLLH029WT	TLLH029AR	TLLH029BK	TLLH029RD	TLLH029BL	TLLH029CR
white	anthracite	black	red	blue	concrete
 E27	 E27	 E27	 E27	 E27	 E27
Ø 6 cm	Ø 6 cm	Ø 6 cm	Ø 6 cm	Ø 6 cm	Ø 6 cm
↑ 25 cm	↑ 25 cm	↑ 25 cm	↑ 25 cm	↑ 25 cm	↑ 25 cm

lamp holder

aluminum / E27



	
TLLH030WT	TLLH030BK
white	black
 E27	 E27
Ø 4.8 cm	Ø 4.8 cm
↑ 11 cm	↑ 11 cm
	
TLLH031WT	TLLH031BK
white	black
 E27	 E27
Ø 4.8 cm	Ø 4.8 cm
↑ 14 cm	↑ 14 cm



canopy

plastic / 1-light



					
<u>TLCP001-01MT</u> mat	<u>TLCP001-01WT</u> white	<u>TLCP001-01BK</u> black	<u>TLCP001-01GY</u> grey	<u>TLCP001-01RD</u> red	<u>TLCP001-01BL</u> blue
ø 12 cm ‡ 8.2 cm	ø 12 cm ‡ 8.2 cm	ø 12 cm ‡ 8.2 cm	ø 12 cm ‡ 8.2 cm	ø 12 cm ‡ 8.2 cm	ø 12 cm ‡ 8.2 cm
					
<u>TLCP001-01OG</u> orange	<u>TLCP001-01YE</u> yellow	<u>TLCP001-01PK</u> pink	<u>TLCP001-01PP</u> purple	<u>TLCP001-01GN</u> white	<u>TLCP001-01BN</u> white
ø 12 cm ‡ 8.2 cm	ø 12 cm ‡ 8.2 cm	ø 12 cm ‡ 8.2 cm	ø 12 cm ‡ 8.2 cm	ø 12 cm ‡ 8.2 cm	ø 12 cm ‡ 8.2 cm

canopy

plastic / 1-light



TLCP003-01SW sand white

ø 10 cm ⚡ 4.5 cm



TLCP003-01SB sand black

ø 10 cm ⚡ 4.5 cm



TLCP003-01GY grey

ø 10 cm ⚡ 4.5 cm



TLCP003-01MS mat satin

ø 10 cm ⚡ 4.5 cm



TLCP003-01GD gold

ø 10 cm ⚡ 4.5 cm



TLCP003-01CP copper

ø 10 cm ⚡ 4.5 cm



TLCP003-01BPL black pearl

ø 10 cm ⚡ 4.5 cm

canopy

plastic / 1-light



TLCP002-01SW sand white

ø 10 cm ⚡ 4.5 cm



TLCP002-01SB sand black

ø 10 cm ⚡ 4.5 cm



TLCP002-01GY grey

ø 10 cm ⚡ 4.5 cm



TLCP002-01MS mat satin

ø 10 cm ⚡ 4.5 cm



TLCP002-01GD gold

ø 10 cm ⚡ 4.5 cm




TLCP002-01CP copper

ø 10 cm ⚡ 4.5 cm



TLCP002-01BPL black pearl

ø 10 cm ⚡ 4.5 cm



canopy

metal / 1-light



TLCP005-01SW sand white
Ø 10 cm ⚓ 4.5 cm



TLCP005-01SB sand back
Ø 10 cm ⚓ 4.5 cm



TLCP005-01MS mat satin
Ø 10 cm ⚓ 4.5 cm



TLCP005-01GD gold
Ø 10 cm ⚓ 4.5 cm



TLCP005-01CP copper
Ø 10 cm ⚓ 4.5 cm



TLCP005-01BS brass
Ø 10 cm ⚓ 4.5 cm



TLCP005-01CF concrete finish
Ø 10 cm ⚓ 4.5 cm



TLCP005-01RS rusty
Ø 10 cm ⚓ 4.5 cm



TLCP005-01GM burned metal
Ø 10 cm ⚓ 4.5 cm



TLCP005-01BPL black pearl
Ø 10 cm ⚓ 4.5 cm



canopy
metal / 3-light



canopy
metal / 5-light



TLCP006-03SW sand white
Ø 12 cm ⚡ 4.5 cm



TLCP006-03SB sand back
Ø 12 cm ⚡ 4.5 cm



TLCP006-03MS mat satin
Ø 12 cm ⚡ 4.5 cm



TLCP006-03GD gold
Ø 12 cm ⚡ 4.5 cm



TLCP006-03CP copper
Ø 12 cm ⚡ 4.5 cm



TLCP006-03BS brass
Ø 12 cm ⚡ 4.5 cm



TLCP007-05SW sand white
Ø 12 cm ⚡ 4.5 cm



TLCP007-05SB sand back
Ø 12 cm ⚡ 4.5 cm



TLCP007-05MS mat satin
Ø 12 cm ⚡ 4.5 cm



TLCP007-05GD gold
Ø 12 cm ⚡ 4.5 cm



TLCP007-05CP copper
Ø 12 cm ⚡ 4.5 cm



TLCP007-05BS brass
Ø 12 cm ⚡ 4.5 cm



TLCP006-03CF concrete finish
Ø 12 cm ⚡ 4.5 cm



TLCP006-03RS rusty
Ø 12 cm ⚡ 4.5 cm



TLCP006-03GM burned metal
Ø 12 cm ⚡ 4.5 cm



TLCP006-03BPL black pearl
Ø 12 cm ⚡ 4.5 cm



TLCP007-05CF concrete finish
Ø 12 cm ⚡ 4.5 cm



TLCP007-05RS rusty
Ø 12 cm ⚡ 4.5 cm



TLCP007-05GM burned metal
Ø 12 cm ⚡ 4.5 cm



TLCP007-05BPL black pearl
Ø 12 cm ⚡ 4.5 cm

canopy

metal / 9-light



TLCP012-09SW sand white

Ø 25 cm ↓ 4.5 cm



TLCP012-09SB sand back

Ø 25 cm ↓ 4.5 cm



TLCP012-09MS mat satin

Ø 25 cm ↓ 4.5 cm



TLCP012-09GD gold

Ø 25 cm ↓ 4.5 cm



TLCP012-09CP copper

Ø 25 cm ↓ 4.5 cm



TLCP012-09BS brass

Ø 25 cm ↓ 4.5 cm



TLCP012-09CF concrete finish

Ø 25 cm ↓ 4.5 cm



TLCP012-09RS rusty

Ø 25 cm ↓ 4.5 cm



TLCP012-09GM burned metal

Ø 25 cm ↓ 4.5 cm



TLCP012-09BPL black pearl

Ø 25 cm ↓ 4.5 cm

canopy

metal / 9-light



TLCP013-09SW sand white

Ø 35 cm ↓ 4.5 cm



TLCP013-09SB sand back

Ø 35 cm ↓ 4.5 cm



TLCP013-09MS mat satin

Ø 35 cm ↓ 4.5 cm



TLCP013-09GD gold

Ø 35 cm ↓ 4.5 cm



TLCP013-09CP copper

Ø 35 cm ↓ 4.5 cm



TLCP013-09BS brass

Ø 35 cm ↓ 4.5 cm



TLCP013-09CF concrete finish

Ø 35 cm ↓ 4.5 cm



TLCP013-09RS rusty

Ø 35 cm ↓ 4.5 cm



TLCP013-09GM burned metal

Ø 35 cm ↓ 4.5 cm



TLCP013-09BPL black pearl

Ø 35 cm ↓ 4.5 cm

canopy

metal / 9-light



TLCP014-09SW sand white
ø 45 cm ↓ 4.5 cm



TLCP014-09SB sand back
ø 45 cm ↓ 4.5 cm



TLCP014-09MS mat satin
ø 45 cm ↓ 4.5 cm



TLCP014-09GD gold
ø 45 cm ↓ 4.5 cm



TLCP014-09GD copper
ø 45 cm ↓ 4.5 cm



TLCP014-09BS brass
ø 45 cm ↓ 4.5 cm



TLCP014-09CF concrete finish
ø 45 cm ↓ 4.5 cm



TLCP014-09RS rusty
ø 45 cm ↓ 4.5 cm



TLCP014-09GM burned metal
ø 45 cm ↓ 4.5 cm




TLCP014-09BPL black pearl
ø 45 cm ↓ 4.5 cm



canopy

metal / 2-light



TLCP008-02SW sand white
↔ 9.5 x 30 cm ⬆ 4.5 cm



TLCP008-02SB sand black
↔ 9.5 x 30 cm ⬆ 4.5 cm



TLCP008-02MS mat satin
↔ 9.5 x 30 cm ⬆ 4.5 cm



TLCP008-02GD gold
↔ 9.5 x 30 cm ⬆ 4.5 cm



TLCP008-02CP copper
↔ 9.5 x 30 cm ⬆ 4.5 cm



TLCP008-02BS brass
↔ 9.5 x 30 cm ⬆ 4.5 cm



TLCP008-02CF concrete finish
↔ 9.5 x 30 cm ⬆ 4.5 cm



TLCP008-02RS rusty
↔ 9.5 x 30 cm ⬆ 4.5 cm



TLCP008-02GM burned metal
↔ 9.5 x 30 cm ⬆ 4.5 cm



TLCP008-02BPL black pearl
↔ 9.5 x 30 cm ⬆ 4.5 cm

canopy

metal / 3-light



TLC009-03SW sand white
↔ 9.5 x 47 cm ↓ 4.5 cm



TLC009-03SB sand black
↔ 9.5 x 47 cm ↓ 4.5 cm



TLC009-03MS mat satin
↔ 9.5 x 47 cm ↓ 4.5 cm



TLC009-03GD gold
↔ 9.5 x 47 cm ↓ 4.5 cm



TLC009-03CP copper
↔ 9.5 x 47 cm ↓ 4.5 cm



TLC009-03BS brass
↔ 9.5 x 47 cm ↓ 4.5 cm



TLC009-03CF concrete finish
↔ 9.5 x 47 cm ↓ 4.5 cm



TLC009-03RS rusty
↔ 9.5 x 47 cm ↓ 4.5 cm



TLC009-03GM burned metal
↔ 9.5 x 47 cm ↓ 4.5 cm



TLC009-03BPL black pearl
↔ 9.5 x 47 cm ↓ 4.5 cm

canopy

metal / 4-light



TLC010-04SW sand white
↔ 9.5 x 90 cm ↓ 4.5 cm



TLC010-04SB sand black
↔ 9.5 x 90 cm ↓ 4.5 cm



TLC010-04MS mat satin
↔ 9.5 x 90 cm ↓ 4.5 cm



TLC010-04GD gold
↔ 9.5 x 90 cm ↓ 4.5 cm



TLC010-04CP copper
↔ 9.5 x 90 cm ↓ 4.5 cm



TLC010-04BS brass
↔ 9.5 x 90 cm ↓ 4.5 cm



TLC010-04CF concrete finish
↔ 9.5 x 90 cm ↓ 4.5 cm



TLC010-04RS rusty
↔ 9.5 x 90 cm ↓ 4.5 cm



TLC010-04GM burned metal
↔ 9.5 x 90 cm ↓ 4.5 cm



TLC010-04BPL black pearl
↔ 9.5 x 90 cm ↓ 4.5 cm

canopy

metal / 7-light



TLCP011-07SW sand white

↔ 20 x 90 cm ↓ 4.5 cm



TLCP011-07SB sand black

↔ 20 x 90 cm ↓ 4.5 cm



TLCP011-07MS mat satin

↔ 20 x 90 cm ↓ 4.5 cm



TLCP011-07GD gold

↔ 20 x 90 cm ↓ 4.5 cm



TLCP011-07CP copper

↔ 20 x 90 cm ↓ 4.5 cm



TLCP011-07BS brass

↔ 20 x 90 cm ↓ 4.5 cm



TLCP011-07CF concrete finish

↔ 20 x 90 cm ↓ 4.5 cm



TLCP011-07RS rusty

↔ 20 x 90 cm ↓ 4.5 cm



TLCP011-07GM burned metal

↔ 20 x 90 cm ↓ 4.5 cm



TLCP011-07BPL black pearl

↔ 20 x 90 cm ↓ 4.5 cm

canopy

metal / 9-light



TLCP015-09SW sand white

↔ 25 x 25 cm ↓ 4.5 cm



TLCP015-09SB sand black

↔ 25 x 25 cm ↓ 4.5 cm



TLCP015-09MS mat satin

↔ 25 x 25 cm ↓ 4.5 cm



TLCP015-09GD gold

↔ 25 x 25 cm ↓ 4.5 cm



TLCP015-09CP copper

↔ 25 x 25 cm ↓ 4.5 cm



TLCP015-09BS brass

↔ 25 x 25 cm ↓ 4.5 cm



TLCP015-09CF concrete finish

↔ 25 x 25 cm ↓ 4.5 cm



TLCP015-09RS rusty

↔ 25 x 25 cm ↓ 4.5 cm




TLCP015-09GM burned metal

↔ 25 x 25 cm ↓ 4.5 cm



TLCP015-09BPL black pearl

↔ 25 x 25 cm ↓ 4.5 cm



canopy
metal / 9-light



TLCP016-09SW sand white

↔ 35 x 35 cm ↓ 4.5 cm



TLCP016-09SB sand black

↔ 35 x 35 cm ↓ 4.5 cm



TLCP016-09MS mat satin

↔ 35 x 35 cm ↓ 4.5 cm



TLCP016-09GD gold

↔ 35 x 35 cm ↓ 4.5 cm



TLCP016-09CP copper

↔ 35 x 35 cm ↓ 4.5 cm



TLCP016-09BS brass

↔ 35 x 35 cm ↓ 4.5 cm



TLCP016-09CF concrete finish

↔ 35 x 35 cm ↓ 4.5 cm



TLCP016-09RS rusty

↔ 35 x 35 cm ↓ 4.5 cm




TLCP016-09GM burned metal

↔ 35 x 35 cm ↓ 4.5 cm



TLCP016-09BPL black pearl

↔ 35 x 35 cm ↓ 4.5 cm



canopy
metal / 9-light



TLCP017-09SW sand white

↔ 45 x 45 cm ↓ 4.5 cm



TLCP017-09SB sand black

↔ 45 x 45 cm ↓ 4.5 cm



TLCP017-09MS mat satin

↔ 45 x 45 cm ↓ 4.5 cm



TLCP017-09GD gold

↔ 45 x 45 cm ↓ 4.5 cm



TLCP017-09CP copper

↔ 45 x 45 cm ↓ 4.5 cm



TLCP017-09BS brass

↔ 45 x 45 cm ↓ 4.5 cm



TLCP017-09CF concrete finish

↔ 45 x 45 cm ↓ 4.5 cm



TLCP017-09RS rusty

↔ 45 x 45 cm ↓ 4.5 cm



TLCP017-09GM burned metal

↔ 45 x 45 cm ↓ 4.5 cm




TLCP017-09BPL black pearl

↔ 45 x 45 cm ↓ 4.5 cm



canopy

wood / 1-light



<u>TLCP018-01WT</u>	<u>white</u>	<u>TLCP018-01BK</u>	<u>black</u>	<u>TLCP018-01NT</u>	<u>natural</u>	<u>TLCP018-01BN</u>	<u>brown</u>
Ø 12 cm	✚ 3.2 cm	Ø 12 cm	✚ 3.2 cm	Ø 12 cm	✚ 3.2 cm	Ø 12 cm	✚ 3.2 cm

canopy

wood / 1-light



TLCP021-1NT	natural	TLCP004-1NT	natural
Ø 10 cm	↑ 1.6 cm	Ø 23 cm	↑ 2 cm







canopy
wood / 2-light




canopy
wood / 3-light



TLCP019-02WT	white	TLCP019-02BK	black	TLCP019-02NT	natural	TLCP019-02BN	brown
↔8 x 30 cm	↑3 cm	↔8 x 30 cm	↑3 cm	↔8 x 30 cm	↑3 cm	↔8 x 30 cm	↑3 cm



TLCP020-03WT	white	TLCP020-03BK	black	TLCP020-03NT	natural	TLCP020-03BN	brown
↔8 x 66 cm	↑3 cm	↔8 x 66 cm	↑3 cm	↔8 x 66 cm	↑3 cm	↔8 x 66 cm	↑3 cm



canopy
silicon / 1-light

					
TLCP022-01TT transparent	TLCP022-01WT white	TLCP022-01BK black	TLCP022-01GY grey	TLCP022-01RD red	TLCP022-01OG orange
ø 9 cm ‡ 3 cm	ø 9 cm ‡ 3 cm	ø 9 cm ‡ 3 cm	ø 9 cm ‡ 3 cm	ø 9 cm ‡ 3 cm	ø 9 cm ‡ 3 cm
					
TLCP022-01PK pink	TLCP022-01BL blue	TLCP022-01LBL light blue	TLCP022-01PP purple	TLCP022-01GN green	TLCP022-01LG lake green
ø 9 cm ‡ 3 cm	ø 9 cm ‡ 3 cm	ø 9 cm ‡ 3 cm	ø 9 cm ‡ 3 cm	ø 9 cm ‡ 3 cm	ø 9 cm ‡ 3 cm
					
TLCP022-01FG fruit green	TLCP022-01YE yellow	TLCP022-01BN brown			
ø 9 cm ‡ 3 cm	ø 9 cm ‡ 3 cm	ø 9 cm ‡ 3 cm			



canopy
porcelain / 1-light



TLCP023-01WT white
Ø 10.5 cm ⚡ 3 cm



TLCP023-01BK black
Ø 10.5 cm ⚡ 3 cm



TLCP023-01GY grey
Ø 10.5 cm ⚡ 3 cm



TLCP023-01RD red
Ø 10.5 cm ⚡ 3 cm



TLCP023-01BL blue
Ø 10.5 cm ⚡ 3 cm



TLCP023-01GN green
Ø 10.5 cm ⚡ 3 cm



TLCP023-01YE yellow
Ø 10.5 cm ⚡ 3 cm



TLCP023-01BN brown
Ø 10.5 cm ⚡ 3 cm



canopy


water stone / 1-light




TLCP024-01WT white
Ø 10 cm ⚓ 3 cm



TLCP024-01AR anthracite
Ø 10 cm ⚓ 3 cm



TLCP024-01BK black
Ø 10 cm ⚓ 3 cm



TLCP024-01RD red
Ø 10 cm ⚓ 3 cm




TLCP024-01BL blue
Ø 10 cm ⚓ 3 cm



TLCP024-01CR concrete
Ø 10 cm ⚓ 3 cm


canopy

waterstone / 3-light



canopy

waterstone / 5-light




TLCP025-03WT white

ø 12 cm ‡ 3 cm




TLCP025-03AR anthracite

ø 12 cm ‡ 3 cm



TLCP025-03BK black

ø 12 cm ‡ 3 cm



TLCP025-03RD red

ø 12 cm ‡ 3 cm



TLCP025-03BL blue

ø 12 cm ‡ 3 cm




TLCP025-03CR concrete

ø 12 cm ‡ 3 cm




TLCP026-05WT white

ø 12 cm ‡ 3 cm




TLCP026-05AR anthracite

ø 12 cm ‡ 3 cm



TLCP026-05BK black

ø 12 cm ‡ 3 cm



TLCP026-05RD red

ø 12 cm ‡ 3 cm



TLCP026-05BL blue

ø 12 cm ‡ 3 cm



TLCP026-05CR concrete

ø 12 cm ‡ 3 cm



cable hanger

plastic



TLHG001WT white

Ø 2 cm ‡ 3.5 cm



TLHG001TT transparent

Ø 2 cm ‡ 3.5 cm



TLHG001BK black

Ø 2 cm ‡ 3.5 cm

cable hanger

metal



TLHG002SW sand white
Ø 1.9 cm ‡ 3.4 cm



TLHG002SB sand black
Ø 1.9 cm ‡ 170 cm



TLHG002MS mat satin
Ø 1.9 cm ‡ 3.4 cm



TLHG002GD gold
Ø 1.9 cm ‡ 3.4 cm



TLHG002CP copper
Ø 1.9 cm ‡ 3.4 cm



TLHG002BS brass
Ø 1.9 cm ‡ 3.4 cm



TLHG002CF concrete finish
Ø 1.9 cm ‡ 3.4 cm



TLHG002RS rusty
Ø 1.9 cm ‡ 3.4 cm



TLHG002GM burned metal
Ø 1.9 cm ‡ 3.4 cm

cable hanger

silicone



TLHG003WT white
Ø 4.5 cm ‡ 2.1 cm



TLHG003BK black
Ø 4.5 cm ‡ 2.1 cm



TLHG003GY grey
Ø 4.5 cm ‡ 2.1 cm



TLHG003RD red
Ø 4.5 cm ‡ 2.1 cm



TLHG003OG orange
Ø 4.5 cm ‡ 2.1 cm



TLHG003PK pink
Ø 4.5 cm ‡ 2.1 cm



TLHG003BL blue
Ø 4.5 cm ‡ 2.1 cm



TLHG003BL light blue
Ø 4.5 cm ‡ 2.1 cm



TLHG003PP purple
Ø 4.5 cm ‡ 2.1 cm



TLHG004LG lake green
Ø 4.5 cm ‡ 2.1 cm



TLHG003GN green
Ø 4.5 cm ‡ 2.1 cm



TLHG004FG fruit green
Ø 4.5 cm ‡ 2.1 cm



TLHG003YE yellow
Ø 4.5 cm ‡ 2.1 cm



TLHG003BN brown
Ø 4.5 cm ‡ 2.1 cm



wall fixture

wood



TLWL001WT white

↔5 x 30 cm ⚓30 cm



TLWL001BK black

↔5 x 30 cm ⚓30 cm



TLWL001NT natural

↔5 x 30 cm ⚓30 cm




TLWL001BN brown

↔5 x 30 cm ⚓30 cm



wall fixture


wood



TLWL004WT	mat white	TLWL004BK	mat black	TLWL004NTT	natural	TLWL004BN	mat brown
↔6.5 x 18.5 cm ↓8 cm		↔6.5 x 18.5 cm ↓8 cm		↔6.5 x 18.5 cm ↓8 cm		↔6.5 x 18.5 cm ↓8 cm	

wall fixture

wood



TLWL002WT	mat white	TLWL002BK	mat black	TLWL002NT	natural	TLWL002BN	mat brown
↔7.5 x 21.5 cm ↓9.5 cm		↔7.5 x 21.5 cm ↓9.5 cm		↔7.5 x 21.5 cm ↓9.5 cm		↔7.5 x 21.5 cm ↓9.5 cm	

wall fixture

wood



TLWL005WT	mat white	TLWL005BK	mat black	TLWL005NT	natural	TLWL005BN	mat brown
↔6.5 x 18.5 cm ↑8 cm		↔6.5 x 18.5 cm ↑8 cm		↔6.5 x 18.5 cm ↑8 cm		↔6.5 x 18.5 cm ↑8 cm	

wall fixture

wood



TLWL003WT	mat white	TLWL003BK	mat black	TLWL003NT	natural	TLWL003BN	mat brown
↔7.5 x 21.5 cm ↑9.5 cm		↔7.5 x 21.5 cm ↑9.5 cm		↔7.5 x 21.5 cm ↑9.5 cm		↔7.5 x 21.5 cm ↑9.5 cm	

wall fixture

wood

wall fixture

wood



TLWL007WT	mat white	TLWL007BK	mat black	TLWL007NT	natural	TLWL007BN	mat brown
ø 10 cm	‡ 60 cm	ø 10 cm	‡ 60 cm	ø 10 cm	‡ 60 cm	ø 10 cm	‡ 60 cm



TLWL006WT	mat white	TLWL006BK	mat black	TLWL006NT	natural	TLWL006BN	mat brown
ø 10 cm	‡ 60 cm	ø 10 cm	‡ 60 cm	ø 10 cm	‡ 60 cm	ø 10 cm	‡ 60 cm



ceiling fixture

wood



TLCL012WT mat white

↔10 x 8 cm ⚓27 cm



TLCL012BK mat black

↔10 x 8 cm ⚓27 cm



TLCL012NT natural

↔10 x 8 cm ⚓27 cm



TLCL012BN mat brown

↔10 x 8 cm ⚓27 cm



TLCL011WT mat white

↔10 x 8 cm ⚓27 cm



TLCL011BK mat black

↔10 x 8 cm ⚓27 cm



TLCL011NT natural

↔10 x 8 cm ⚓27 cm



TLCL011BN mat brown

↔10 x 8 cm ⚓27 cm

ceiling fixture

wood



TLCL011WT mat white

↔10 x 8 cm ⚓27 cm



TLCL011BK mat black

↔10 x 8 cm ⚓27 cm



TLCL011NT natural

↔10 x 8 cm ⚓27 cm



TLCL011BN mat brown

↔10 x 8 cm ⚓27 cm



table fixture

wood



table fixture

wood



TLTL001WT mat white

↔8.5 x 5.5 cm ‡34.5 cm



TLTL001BK mat black

↔8.5 x 5.5 cm ‡34.5 cm



TLTL001NT natural

↔8.5 x 5.5 cm ‡34.5 cm



TLTL001BN mat brown

↔8.5 x 5.5 cm ‡34.5 cm



TLTL003WT mat white

↔8.5 x 5.5 cm ‡34.5 cm



TLTL003BK mat black

↔8.5 x 5.5 cm ‡34.5 cm



TLTL003NT natural

↔8.5 x 5.5 cm ‡34.5 cm



TLTL003BN mat brown

↔8.5 x 5.5 cm ‡34.5 cm



table fixture

wood



TLTL002WT mat white

Ø 18.8 cm ‡ 60 cm



TLTL002BK mat black

Ø 18.8 cm ‡ 60 cm



TLTL002NT natural

Ø 18.8 cm ‡ 60 cm



TLTL002BN mat brown

Ø 18.8 cm ‡ 60 cm



table fixture

wood



TLTL004WT mat white

Ø 18.8 cm ‡ 60 cm



TLTL004BK mat black

Ø 18.8 cm ‡ 60 cm



TLTL004NT natural

Ø 18.8 cm ‡ 60 cm



TLTL004BN mat brown

Ø 18.8 cm ‡ 60 cm

wall fixture

metal



TLWL008CR	concrete	TLWL008RS	rusty
↔5 x 30.5 cm	↓15 cm	↔5 x 30.5 cm	↓15 cm



completely sets

pendant lamp / silicon / 1-light

					
TLPD002-01WT white	TLPD002-01BK black	TLPD002-01GY grey	TLPD002-01RD red	TLPD002-01OG orange	TLPD002-01PK pink
 E27, bulb not incl. ø 10 cm ↓ 109 cm	 E27, bulb not incl. ø 10 cm ↓ 109 cm	 E27, bulb not incl. ø 10 cm ↓ 109 cm	 E27, bulb not incl. ø 10 cm ↓ 109 cm	 E27, bulb not incl. ø 10 cm ↓ 109 cm	 E27, bulb not incl. ø 10 cm ↓ 109 cm
					
TLPD002-01BN brown	TLPD002-01LBL light blue	TLPD002-01BL blue	TLPD002-01GN green	TLPD002-01LG lake green	TLPD002-01FG fruit green
 E27, bulb not incl. ø 10 cm ↓ 109 cm	 E27, bulb not incl. ø 10 cm ↓ 109 cm	 E27, bulb not incl. ø 10 cm ↓ 109 cm	 E27, bulb not incl. ø 10 cm ↓ 109 cm	 E27, bulb not incl. ø 10 cm ↓ 109 cm	 E27, bulb not incl. ø 10 cm ↓ 109 cm
					
TLPD002-01YE yellow					
 E27, bulb not incl. ø 10 cm ↓ 109 cm					

completely sets

pendant lamp / silicon / 3-5-7-9 light



TLPD003-03WT white
3 x E27, bulb not incl.
Ø 25 cm 150 cm



TLPD004-05WT white
5 x E27, bulb not incl.
Ø 25 cm 150 cm



TLPD005-07WT white
7 x E27, bulb not incl.
Ø 25 cm 150 cm



TLPD006-09WT white
9 x E27, bulb not incl.
Ø 25 cm 150 cm



TLPD003-03BK black
3 x E27, bulb not incl.
Ø 25 cm 150 cm



TLPD004-05BK black
5 x E27, bulb not incl.
Ø 25 cm 150 cm



TLPD005-07BK black
7 x E27, bulb not incl.
Ø 25 cm 150 cm



TLPD006-09BK black
9 x E27, bulb not incl.
Ø 25 cm 150 cm





completely sets

ceiling & wall lamp / aluminum / 1-light



TLCL001SW sand white
E27, bulb not incl.
Ø 12 cm ⚡ 8.5 cm



TLCL001SB sand black
E27, bulb not incl.
Ø 12 cm ⚡ 8.5 cm



TLCL001MS mat satin
E27, bulb not incl.
Ø 12 cm ⚡ 8.5 cm



TLCL001GD gold
E27, bulb not incl.
Ø 12 cm ⚡ 8.5 cm



TLCL001CP copper
E27, bulb not incl.
Ø 12 cm ⚡ 8.5 cm



TLCL001BS brass
E27, bulb not incl.
Ø 12 cm ⚡ 8.5 cm



TLCL001CF concrete finish
E27, bulb not incl.
Ø 12 cm ⚡ 8.5 cm



TLCL001RS rusty
E27, bulb not incl.
Ø 12 cm ⚡ 8.5 cm



TLCL001GM burned metal
E27, bulb not incl.
Ø 12 cm ⚡ 8.5 cm



completely sets

ceiling & wall lamp / aluminum / 1-light



TLCL003SW sand white
E27, bulb not incl.
Ø 12 cm ⚡8.5 cm



TLCL003SB sand black
E27, bulb not incl.
Ø 12 cm ⚡8.5 cm



TLCL003MS mat satin
E27, bulb not incl.
Ø 12 cm ⚡8.5 cm



TLCL003GD gold
E27, bulb not incl.
Ø 12 cm ⚡8.5 cm



TLCL003CP copper
E27, bulb not incl.
Ø 12 cm ⚡8.5 cm



TLCL003BS brass
E27, bulb not incl.
Ø 12 cm ⚡8.5 cm



TLCL003CF concrete finish
E27, bulb not incl.
Ø 12 cm ⚡8.5 cm



TLCL003RS rusty
E27, bulb not incl.
Ø 12 cm ⚡8.5 cm



TLCL003GM burned metal
E27, bulb not incl.
Ø 12 cm ⚡8.5 cm



completely sets

ceiling & wall lamp / metal / 1-light



TLCL005BPL black pearl
E27, bulb not incl.
Ø 12 cm ⚡8.5 cm



TLCL005CR chrome
E27, bulb not incl.
Ø 12 cm ⚡8.5 cm



TLCL005MS mat satin
E27, bulb not incl.
Ø 12 cm ⚡8.5 cm



TLCL005GD gold
E27, bulb not incl.
Ø 12 cm ⚡8.5 cm



TLWL005CP copper
E27, bulb not incl.
Ø 12 cm ⚡8.5 cm



TLCL005CF concrete finish
E27, bulb not incl.
Ø 12 cm ⚡8 cm



TLCL005RS rusty
E27, bulb not incl.
Ø 12 cm ⚡8.5 cm



TLCL005GM burned metal
E27, bulb not incl.
Ø 12 cm ⚡8.5 cm



completely sets

ceiling & wall lamp / aluminum / 1-light



TLSL002SW sand white
E27, bulb not incl.
Ø 12 cm ↓ 15 cm



TLSL002SB sand black
E27, bulb not incl.
Ø 12 cm ↓ 15 cm



TLSL002MS mat satin
E27, bulb not incl.
Ø 12 cm ↓ 15 cm



TLSL002GD gold
E27, bulb not incl.
Ø 12 cm ↓ 15 cm



TLSL002BS copper
E27, bulb not incl.
Ø 12 cm ↓ 15 cm



TLSL002BS brass
E27, bulb not incl.
Ø 12 cm ↓ 15 cm



TLSL002CF concrete finish
E27, bulb not incl.
Ø 12 cm ↓ 15 cm



TLSL002RS rusty
E27, bulb not incl.
Ø 12 cm ↓ 15 cm



TLSL002GM burned metal
E27, bulb not incl.
Ø 12 cm ↓ 15 cm



completely sets

ceiling & wall lamp / aluminum / 1-light



TLSL004SW sand white
E27, bulb not incl.
Ø 12 cm ↓ 15 cm



TLSL004SB sand black
E27, bulb not incl.
Ø 12 cm ↓ 15 cm



TLSL004MS mat satin
E27, bulb not incl.
Ø 12 cm ↓ 15 cm



TLSL004GD gold
E27, bulb not incl.
Ø 12 cm ↓ 15 cm



TLSL004BS copper
E27, bulb not incl.
Ø 12 cm ↓ 15 cm



TLCL004BS brass
E27, bulb not incl.
Ø 12 cm ↓ 15 cm



TLSL004CF concrete finish
E27, bulb not incl.
Ø 12 cm ↓ 15 cm



TLSL004RS rusty
E27, bulb not incl.
Ø 12 cm ↓ 15 cm



TLSL004GM burned metal
E27, bulb not incl.
Ø 12 cm ↓ 15 cm

completely sets

ceiling & wall lamp / metal / 1-light



TLSL006BPL black pearl
E27, bulb not incl.
Ø 12 cm ‡ 15 cm



TLSL006CR chrome
E27, bulb not incl.
Ø 12 cm ‡ 15 cm



TLSL006MS mat satin
E27, bulb not incl.
Ø 12 cm ‡ 15 cm



TLSL006GD gold
E27, bulb not incl.
Ø 12 cm ‡ 15 cm



TLSL006CP copper
E27, bulb not incl.
Ø 12 cm ‡ 15 cm



TLSL006CF concrete finish
E27, bulb not incl.
Ø 12 cm ‡ 15 cm



TLSL006RS rusty
E27, bulb not incl.
Ø 12 cm ‡ 15 cm



TLSL006GM burned metal
E27, bulb not incl.
Ø 12 cm ‡ 15 cm



completely sets

pendant lamp / rope & wood / 1-light



TLDP011-01NT natural
E27, bulb not incl.
Ø 10 cm ↓ 115 cm



TLDP012-01NT natural
E27, bulb not incl.
Ø 10 cm ↓ 115 cm



TLDP012-01WT white
E27, bulb not incl.
Ø 10 cm ↓ 115 cm



TLDP012-01BK black
E27, bulb not incl.
Ø 10 cm ↓ 115 cm




TLDP012-01BN brown
E27, bulb not incl.
Ø 10 cm ↓ 115 cm

completely sets

pendant lamp / rope & wood / 3-light



TLPD013-03NT natural
3 x E27, bulb not incl.
↔ 60 x 9.5 cm ↓ 115 cm



TLPD013-03WT white
3 x E27, bulb not incl.
↔ 60 x 9.5 cm ↓ 115 cm



TLPD013-03BK black
3 x E27, bulb not incl.
↔ 60 x 9.5 cm ↓ 115 cm



TLPD013-03BN brown
3 x E27, bulb not incl.
↔ 60 x 9.5 cm ↓ 115 cm

completely sets

pendant lamp / wood / 1-light



TLPD001-01NT natural
E27, bulb not incl.
Ø 10 cm ↓ 135 cm

completely sets

pendant lamp / wood / 3-light



TLPD007-03NT natural
3 x E27, bulb not incl.
Ø 23 cm ↓ 135cm

completely sets

ceiling & wall lamp / wood / 1-light



TLCL007WT white
E27, bulb not incl.
Ø 12 cm ↓ 14.2 cm



TLCL007BK black
E27, bulb not incl.
Ø 12 cm ↓ 14.2 cm



TLCL007NT natural
E27, bulb not incl.
Ø 12 cm ↓ 14.2 cm



TLCL007BN brown
E27, bulb not incl.
Ø 12 cm ↓ 14.2 cm



completely sets

ceiling & wall lamp / wood / 1-light



TLSL008WT white
E27, bulb not incl.
Ø 12 cm ‡ 15.7 cm



TLSL008BK black
E27, bulb not incl.
Ø 12 cm ‡ 15.7 cm



TLSL008NT nature
E27, bulb not incl.
Ø 12 cm ‡ 15.7 cm



TLSL008BN brown
E27, bulb not incl.
Ø 12 cm ‡ 15.7 cm





completely sets

ceiling & wall lamp / porcelain / 1-light



TLCL009WT white
E27, bulb not incl.
Ø 10.5 cm ⚡ 9.8 cm



TLCL009BK black
E27, bulb not incl.
Ø 10.5 cm ⚡ 9.8 cm



TLCL009RD red
E27, bulb not incl.
Ø 10.5 cm ⚡ 9.8 cm



TLCL009BL blue
E27, bulb not incl.
Ø 10.5 cm ⚡ 9.8 cm



TLCL009YE yellow
E27, bulb not incl.
Ø 10.5 cm ⚡ 9.8 cm



TLCL009GY grey
E27, bulb not incl.
Ø 10.5 cm ⚡ 9.8 cm



TLCL009GN green
E27, bulb not incl.
Ø 10.5 cm ⚡ 9.8 cm



TLCL009BN brown
E27, bulb not incl.
Ø 10.5 cm ⚡ 9.8 cm

completely sets

ceiling & wall lamp / porcelain / 1-light



TLSL010WT white
E27, bulb not incl.
Ø 10.5 cm ↓ 15.5 cm



TLSL010BK black
E27, bulb not incl.
Ø 10.5 cm ↓ 15.5 cm



TLSL010D red
E27, bulb not incl.
Ø 10.5 cm ↓ 15.5 cm



TLSL010BL blue
E27, bulb not incl.
Ø 10.5 cm ↓ 15.5 cm



TLSL010YE yellow
E27, bulb not incl.
Ø 10.5 cm ↓ 15.5 cm



TLSL010GY grey
E27, bulb not incl.
Ø 10.5 cm ↓ 15 cm



TLSL010GN green
E27, bulb not incl.
Ø 10.5 cm ↓ 15.5 cm



TLSL010BN brown
E27, bulb not incl.
Ø 10.5 cm ↓ 15.5 cm





DIY design

do it yourself / metal / 1-12-light



					
TLWC001SW sand white ø 18 cm ‡ 2.5 cm	TLWC001SB sand black ø 18 cm ‡ 2.5 cm	TLWC001SCR chrome ø 18 cm ‡ 2.5 cm	TLWC001MS mat satin ø 18 cm ‡ 2.5 cm	TLWC001CP copper ø 18 cm ‡ 2.5 cm	TLWC001GD gold ø 18 cm ‡ 2.5 cm
					
TLWC001CF concrete finish ø 18 cm ‡ 2.5 cm	TLWC001RS rusty ø 18 cm ‡ 2.5 cm	TLWC001GM burned metal ø 18 cm ‡ 2.5 cm	TLWC001BPL black peal ø 18 cm ‡ 2.5 cm		

DIY design

do it yourself / metal / 1-12-light



TLWC002SW sand white
↔18 cm ⚓2.5 cm



TLWC002SB sand black
↔18 cm ⚓2.5 cm



TLWC002CR chrome
↔18 cm ⚓2.5 cm



TLWC002MS mat satin
↔18 cm ⚓2.5 cm



TLWC002CP copper
↔18 cm ⚓2.5 cm



TLWC002GD gold
↔18 cm ⚓2.5 cm



TLWC002CF concrete finish
↔18 cm ⚓2.5 cm



TLWC002RS rusty
↔18 cm ⚓2.5 cm



TLWC002GM burned metal
↔18 cm ⚓2.5 cm



TLWC002BPL black peal
↔18 cm ⚓2.5 cm

DIY design

do it yourself / water stone / 1-12-light



TLWC001WTW white
ø 18 cm ⚓2.5 cm



TLWC001BKW black
ø 18 cm ⚓2.5 cm



TLWC001ARW anthracite
ø 18 cm ⚓2.5 cm



TLWC001RDW red
ø 18 cm ⚓2.5 cm



TLWC001BLW blue
ø 18 cm ⚓2.5 cm



TLWC001CRW concrete
ø 18 cm ⚓2.5 cm





DIY design

do it yourself / water stone / 1-12-light



TLWC002WTW white
↔18 cm ↓2.5 cm



TLWC002BKW black
↔18 cm ↓2.5 cm



TLWC002ARW anthracite
↔18 cm ↓2.5 cm



TLWC002RDW red
↔18 cm ↓2.5 cm



TLWC002BLW blue
↔18 cm ↓2.5 cm



TLWC002CRW concrete
↔18 cm ↓2.5 cm

DIY design

do it yourself / metal



TLHG004SW sand white
Ø 2.0 cm ↓2.2 cm



TLHG004SB sand black
Ø 2.0 cm ↓2.2 cm



TLHG004CR chrome
Ø 2.0 cm ↓2.2 cm



TLHG004CP copper
Ø 2.0 cm ↓2.2 cm



TLHG004GD gold
Ø 2.0 cm ↓2.2 cm



TLHG004CF concrete finish
Ø 2.0 cm ↓2.2 cm



TLHG004RS rusty
Ø 2.0 cm ↓2.2 cm



TLHG004GM burned metal
Ø 2.0 cm ↓2.2 cm



TLHG004BPL black peal
Ø 2.0 cm ↓2.2 cm



Tangla Lighting and Living Limited
唐拉光和家有限公司

HongKong Head Office 香港總公司
10F Mass Mutual Tower,
33 Lockhart Road, Hong Kong
香港灣仔洛克道 33 號萬通大廈 10 樓

China Office 中國辦事處
No. 23, Room 1101, Building 1, No. 111 Nancheng section Guantai
Road, Nancheng District, Dongguan City, Guangdong Province
廣東省東莞市南城街道莞太路南城段 111 号 1 栋 1101 室 23

Office: +86-769-2236 2601
Mobile phone: +86 138 2637 3540
E-mail: ilovetangla@tanglalive.com

www.tanglalive.com

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.

No text, layout, images or pictures can be used or reproduced for commercial purposes by third parties, including distributors, retailers, online shops and others, without the prior written consent of Tangla Lighting and Living Limited. The use of text, layout, images and pictures, or the reproduction of such publications in press both written and digital is only permitted when Tangla Lighting and Living Limited is listed as the official right holder and owner of the concept.

All our offers and agreements are subject to our conditions of sale. Upon request you will receive a copy of these terms and conditions. Photographs and images may differ slightly in colour and tone. No rights can be derived from images displayed on screen or printed matter.



All our LED bulbs and LED fixtures use LED technology based on Philips patents. We have entered a license agreement with Philips to be able to freely use these LED patents.
Therefore, we offer you the option to buy our LED bulbs and LED fixtures under one of our Tangla sub brands. Should you decide to buy our LED products under your own private label than we cannot be hold responsible for patent risks related to the LED technology used in our LED products.