

*Tangla*  
Lighting & Living

collection 2025  
**cordless lighting**





At Tangla Lighting and Living, our mission goes beyond merely creating lighting products. We are committed to crafting immersive experiences that not only elevate spaces but also honor and preserve the environment. Our unwavering focus on sustainability sets us apart from the rest.

Our vision extends towards a future where style and sustainability harmoniously coexist. With every design we create, we strive to demonstrate that luxury and eco-friendliness can walk hand in hand. Join us on this journey towards a brighter, greener, and more responsible world.





## OEM & ODM

Tangla Lighting and Living is a leader in ODM and OEM rechargeable lighting products, leveraging their expertise to closely collaborate with customers in creating unique concepts. Their dedicated team specializes in crafting trendy, innovative home living products, providing tailored solutions across various categories.

Customers are empowered to realize their ideas through Tangla's ODM and OEM manufacturing. Offering bespoke designs for both indoor and outdoor use, Tangla prioritizes customization to meet the distinct needs and tastes of their clientele.

## Tailored Lighting Solutions Await!

At Tangla Lighting and Living, we're passionate about creating unique, high-quality lighting solutions tailored to your needs. Arrange a consultation with us to discover how our expertise can illuminate your life, enhancing your home's ambiance with innovative designs.

Our commitment to customer satisfaction guarantees personalized service to fulfill your lighting desires. Whether indoor or outdoor, we're ready to transform your ideas into reality. Partner with Tangla Lighting and Living and let's brighten your world together.

## Craft with Passion

At Tangla Lighting and Living, our passion is the beacon that lights up every product we create. Every piece of decorative lighting we design is a testament to our commitment to artistry and innovation. Our craftsmen work with dedication, ensuring that each fixture doesn't just illuminate a space, but also elevates its ambiance. Our designs, inspired by global trends yet rooted in timeless elegance, reflect a harmonious blend of modernity and tradition.

When you choose Tangla, you're not just choosing a light; you're embracing a piece of art crafted with fervent passion.

## Tailored Lighting Solutions Await!

Quality isn't just a standard for us; it's a promise.

At Tangla Lighting and Living, we understand that our clients seek more than just aesthetics – they seek reliability. That's why our decorative lighting products undergo rigorous quality checks, ensuring that they not only meet but exceed global standards.

We select materials with the utmost care and precision, and our manufacturing processes are overseen by experts who carry years of industry experience.

With Tangla, you can rest assured, knowing that the brilliance of your chosen light will endure, offering you a worry-free experience for years to come.



## Customize your color

Experience the ultimate in personalization with our cutting-edge cordless lighting products. With an abundant array of color options, you have the freedom to choose the perfect hue to match your mood, décor, or just your daily whims. From the warm glow of a sunrise orange to the calming cool of a midnight blue, the power is in your hands to create a home environment that's distinctly yours.

## Unleashing Individuality

In a world full of mass-produced items, we offer you the chance to stand out. Our "customize your color" service allows you to choose the color that speaks to you. It's not just about selling products, it's about creating a personalized experience for each customer.



## Illuminate Your Space with Tangla's Customizable Cordless Lights

Elegantly crafted and meticulously designed, Tangla Lighting and Living presents a collection of cordless and rechargeable decorative lights that redefine ambiance. Each fixture is a testament to our commitment to innovation, offering a seamless blend of style and practicality.

Our line of lights is a celebration of customization, inviting you to infuse your personal touch into every corner of your living space. With an assortment of styles and accessories, the possibilities for DIY customization are endless. From classic round and cylindrical shapes to whimsical three-dimensional designs like birds and antlers, there's a fixture to suit every taste.

Versatility is at the core of our designs. The bases are thoughtfully engineered to be adjustable, allowing you to tilt and rotate them as desired. Choose from our minimalist styles with single posts, available in both square and round options, to effortlessly complement your décor.


At Tangla, we understand that individuality is key. That's why we offer unique customization tailored to each customer's preferences. Elevate your space with a one-of-a-kind lighting experience that reflects your distinct style and personality.

Illuminate your world with Tangla's cordless lights — where sophistication meets customization.



## TL-RL-1003

LED cordless table lamp - IP44



### Product specifications

Size: diameter 128mm | height 366mm  
Material: ABS housing | PC diffuser | metal fixture

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish

snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black


All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.





# TL-RL-1040













LED cordless table lamp - IP44



## Product specifications











Size: diameter 128mm | height 280mm  
Material: ABS housing | PC diffuser | metal fixture

## Technical specifications

 1.5W	 2700K	 130 Lm	 CRI>80
 30.000 hrs	 Li-ion battery 2000mAh	 ≈ 3.0 hrs	 7.0 hrs (100% intensity)
 touch button	 stepless dimmable 5%-100%	 waterproof IP44	 1m USB cable (adapter excl.)

 For other technical specification options, please contact us.

## Weather & atmospheric resistant finish


 snow white	 golden rod	 winter green	 obsidian blue	 jungle green
 peach whip	 orange rust	 teaberry	 fiery red	 bellwether blue
 sky blue	 storm gray	 laurel	 classic blue	 night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1030













LED cordless table lamp - IP44




### Product specifications

Size: diameter 128mm | height 280mm  
Material: ABS housing | PC diffuser | metal fixture

### Technical specifications

 1.5W	 2700K warm white	 130 Lm	 CRI>80
 30,000 hrs	 Li-ion battery 2000mAh	 ≈ 3.0 hrs	 7.0 hrs (100% intensity)
 touch button	 stepless dimmable 5%-100%	 waterproof IP44	 1m USB cable (adapter excl.)

 For other technical specification options, please contact us.

### Weather & atmospheric resistant finish

 snow white	 golden rod	 winter green	 obsidian blue	 jungle green
 peach whip	 orange rust	 teaberry	 fiery red	 bellwether blue
 sky blue	 storm gray	 laurel	 classic blue	 night black



All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.





# TL-RL-1032

LED cordless table lamp - IP44



## Product specifications

Size: diameter 128mm | height 500mm  
Material: ABS housing | PC diffuser | metal fixture

## Technical specifications

1.5W	warm white 2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)


For other technical specification options, please contact us.

## Weather & atmospheric resistant finish

snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

## TL-RL-1005

LED cordless table lamp - IP44



### Product specifications

Size: diameter 155mm | height 320mm  
Material: ABS housing | PC diffuser | wood fixture

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1008

LED cordless table lamp - IP44



### Product specifications

Size: diameter 128mm | height 285mm  
Material: ABS housing | PC diffuser | cork fixture

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1007

LED cordless table lamp - IP44



### Product specifications

Size: diameter 128mm | height 285mm  
Material: ABS housing | PC diffuser | metal fixture

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1044

LED cordless table lamp - IP44



### Product specifications

Size: diameter 128mm | height 290mm  
Material: ABS housing | PC diffuser | metal fixture

### Technical specifications

1.5W	warm white 2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1039

LED cordless table lamp - IP44



### Product specifications

Size: diameter 128mm | height 285mm  
Material: ABS housing | PC diffuser | metal fixture

### Technical specifications

1.5W	warm white 2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1038













### LED cordless table lamp - IP44



#### Product specifications












Size: diameter 128mm | height 310mm  
Material: ABS housing | PC diffuser | metal fixture

#### Technical specifications

 1.5W	 warm white 2700K	 130 Lm	 CRI>80
 30.000 hrs	 Li-ion battery 2000mAh	 ≈ 3.0 hrs	 7.0 hrs (100% intensity)
 touch button	 stepless dimmable 5%-100%	 waterproof IP44	 1m USB cable (adapter excl.)

 For other technical specification options, please contact us.

#### Weather & atmospheric resistant finish


 snow white	 golden rod	 winter green	 obsidian blue	 jungle green
 peach whip	 orange rust	 teaberry	 fiery red	 bellwether blue
 sky blue	 storm gray	 laurel	 classic blue	 night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1041

LED cordless table lamp - IP44



### Product specifications

Size: diameter 128mm | height 290mm  
Material: ABS housing | PC diffuser | metal fixture

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1004

LED cordless table lamp - IP44



### Product specifications

Size: diameter 150mm | height 468mm  
Material: ABS housing | PC diffuser | metal fixture

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1042

LED cordless table lamp - IP44



### Product specifications

Size: diameter 128mm | height 360mm  
Material: ABS housing | PC diffuser | metal fixture

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1043













LED cordless table lamp - IP44




### Product specifications















Size: diameter 128mm | height 465mm  
Material: ABS housing | PC diffuser | metal fixture

### Technical specifications

 1.5W	 warm white 2700K	 130 Lm	 CRI>80
 30,000 hrs	 Li-ion battery 2000mAh	 ≈ 3.0 hrs	 7.0 hrs (100% intensity)
 touch button	 stepless dimmable 5%-100%	 waterproof IP44	 1m USB cable (adapter excl.)

 For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


 snow white	 golden rod	 winter green	 obsidian blue	 jungle green
 peach whip	 orange rust	 teaberry	 fiery red	 bellwether blue
 sky blue	 storm gray	 laurel	 classic blue	 night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1034

LED cordless table lamp - IP44



### Product specifications

Size: diameter 128mm | height 290mm  
Material: ABS housing | PC diffuser | metal + PVC fixture

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1036

LED cordless table lamp - IP44



### Product specifications

Size: diameter 128mm | height 500mm  
Material: ABS housing | PC diffuser | metal + PVC fixture

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



# TL-RL-1035

## LED cordless table lamp - IP44



### Product specifications

Size: diameter 128mm | height 290mm  
Material: ABS housing | PC diffuser | wood + metal fixture

### Technical specifications

1.5W	warm white 2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1037

LED cordless table lamp - IP44



### Product specifications

Size: diameter 128mm | height 500mm  
Material: ABS housing | PC diffuser | wood + metal fixture

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1001

LED cordless table lamp - IP44



### Product specifications

Size: diameter 128mm | height 280mm  
Material: ABS housing | PC diffuser | metal fixture

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish



snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1002

LED cordless table lamp - IP44



### Product specifications

Size: diameter 128mm | height 500mm  
Material: ABS housing | PC diffuser | metal fixture

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30,000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1031

LED cordless table lamp - IP44



### Product specifications

Size: diameter 128mm | height 275mm  
Material: ABS housing | PC diffuser | metal fixture

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1033

LED cordless table lamp - IP44



### Product specifications

Size: diameter 128mm | height 500mm  
Material: ABS housing | PC diffuser | metal fixture

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



# TL-RL-1056

LED cordless table lamp - IP44



## Product specifications

Size: diameter 128mm | height 317mm  
Material: ABS housing | PC diffuser | metal fixture

## Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

## Weather & atmospheric resistant finish



snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1048

LED cordless table lamp - IP44



### Product specifications

Size: diameter 128mm | height 360mm  
Material: ABS housing | PC diffuser | metal fixture

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30,000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.





**TL-RL-1050**  
**LED cordless table lamp - IP44**



**Product specifications**

Size: diameter 128mm | height 500mm  
Material: ABS housing | PC diffuser | metal fixture

**Technical specifications**

1.5W	warm white 2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.


**Weather & atmospheric resistant finish**

snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.

## TL-RL-1013

LED cordless table lamp - IP44



### Product specifications

Size: diameter 130mm | height 388mm  
Material: ABS housing | PC diffuser | metal fixture

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30,000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)


For other technical specification options, please contact us.

### Weather & atmospheric resistant finish

snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

## TL-RL-1014

LED cordless table lamp - IP44



### Product specifications

Size: diameter 130mm | height 500mm  
Material: ABS housing | PC diffuser | metal fixture

### Technical specifications

1.5W	warm white 2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish



snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1047

LED cordless table lamp - IP44



### Product specifications

Size: diameter 128mm | height 360mm  
Material: ABS housing | PC diffuser | metal fixture

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1049

LED cordless table lamp - IP44



### Product specifications

Size: diameter 128mm | height 500mm  
Material: ABS housing | PC diffuser | metal fixture

### Technical specifications

1.5W	warm white 2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1009

LED cordless pendant lamp - IP44



### Product specifications

Size: diameter 250mm | height 215mm  
Material: ABS housing | PC diffuser | bamboo fixture

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1010

LED cordless pendant lamp - IP44



### Product specifications

Size: diameter 360mm | height 330mm  
Material: ABS housing | PC diffuser | bamboo fixture

### Technical specifications

1.5W	warm white 2700K	130 Lm	CRI>80
30,000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.

















TL-RL-1011  
LED cordless pendant lamp - IP44




Product specifications
















Size: diameter 460mm | height 375mm  
Material: ABS housing | PC diffuser | bamboo fixture

Technical specifications

 1.5W	 2700K	 130 Lm	 CRI>80
 30.000 hrs	 Li-ion battery 2000mAh	 ≈ 3.0 hrs	 7.0 hrs (100% intensity)
 touch button	 stepless dimmable 5%-100%	 waterproof IP44	 1m USB cable (adapter excl.)

 For other technical specification options, please contact us.


Weather & atmospheric resistant finish

 snow white	 golden rod	 winter green	 obsidian blue	 jungle green
 peach whip	 orange rust	 teaberry	 fiery red	 bellwether blue
 sky blue	 storm gray	 laurel	 classic blue	 night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.

## TL-RL-1046

LED cordless table lamp - IP44



### Product specifications

Size: diameter 210mm | height 300mm  
Material: ABS housing | PC diffuser | bamboo lampshade

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1045

LED cordless table lamp - IP44



### Product specifications

Size: diameter 128mm | height 230mm  
Material: ABS housing | PC diffuser | metal lampshade

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1012

LED cordless table lamp - IP44



### Product specifications

Size: diameter 152mm | height 198mm  
Material: ABS housing | PC diffuser | glass

### Technical specifications


1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish

snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black


All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.





# TL-RL-1056

LED cordless table lamp - IP44



## Product specifications

Size: width 160mm | diameter 160mm | height 270mm  
Material: ABS housing | PC diffuser | DuPont paper lampshade

## Technical specifications

1.5W	warm white 2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.


## Weather & atmospheric resistant finish

snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black



## TL-RL-1020

LED cordless wall lamp - IP44



### Product specifications

Size: width 150mm | diameter 130mm | height 426mm  
Material: ABS housing | PC diffuser | metal fixture

### Technical specifications

1.5W	warm white 2700K	130 Lm	CRI>80
30,000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1021

LED cordless wall lamp - IP44



### Product specifications

Size: width 150mm | diameter 130mm | height 538mm  
Material: ABS housing | PC diffuser | metal fixture

### Technical specifications

1.5W	warm white 2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1019

### LED cordless wall lamp - IP44



#### Product specifications

Size: width 148mm | diameter 128mm | height 190mm  
Material: ABS housing | PC diffuser | metal fixture

#### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

#### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



# TL-RL-1018

## LED cordless wall lamp - IP44



### Product specifications

Size: width 190mm | diameter 128mm | height 90mm  
Material: ABS housing | PC diffuser | wood hanger

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



# TL-RL-1017

## LED cordless wall lamp - IP44



### Product specifications

Size: width 190mm | diameter 128mm | height 90mm  
Material: ABS housing | PC diffuser | metal hanger

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1016

LED cordless wall lamp - IP44



### Product specifications

Size: width 150mm | diameter 128mm | height 125mm  
Material: ABS housing | PC diffuser | metal hanger

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1055

LED cordless wall lamp - IP44



### Product specifications

Size: width 165mm | diameter 128mm | height 88mm  
Material: ABS housing | PC diffuser | metal hanger

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



# TL-RL-1054












## LED cordless wall lamp - IP44




### Product specifications









Size: width 160mm | diameter 128mm | height 100mm  
Material: ABS housing | PC diffuser | metal hanger

### Technical specifications

 1.5W	 2700K warm white	 130 Lm	 CRI>80
 30.000 hrs	 Li-ion battery 2000mAh	 ≈ 3.0 hrs	 7.0 hrs (100% intensity)
 touch button	 stepless dimmable 5%-100%	 waterproof IP44	 1m USB cable (adapter excl.)

 For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


 snow white	 golden rod	 winter green	 obsidian blue	 jungle green
 peach whip	 orange rust	 teaberry	 fiery red	 bellwether blue
 sky blue	 storm gray	 laurel	 classic blue	 night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1057

LED cordless wall lamp - IP44



### Product specifications

Size: width 200mm | diameter 160mm | height 320mm  
Material: ABS housing | PC diffuser | DuPont paper lampshade

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30,000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish

snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black


All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.





# TL-RL-1022













LED cordless pendant lamp - IP44




## Product specifications














Size: width 128mm | diameter 128mm | height 86.5mm  
Material: ABS housing | PC diffuser

## Technical specifications

 1.5W	 2700K warm white	 130 Lm	 CRI>80
 30.000 hrs	 Li-ion battery 2000mAh	 ≈ 3.0 hrs	 7.0 hrs (100% intensity)
 touch button	 stepless dimmable 5%-100%	 waterproof IP44	 1m USB cable (adapter excl.)

 For other technical specification options, please contact us.

## Weather & atmospheric resistant finish


 snow white	 golden rod	 winter green	 obsidian blue	 jungle green
 peach whip	 orange rust	 teaberry	 fiery red	 bellwether blue
 sky blue	 storm gray	 laurel	 classic blue	 night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1058

LED cordless pendant lamp - IP44



### Product specifications

Size: width 160mm | diameter 160mm | height 320mm  
Material: ABS housing | PC diffuser | DuPont paper lampshade

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30,000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



# TL-RL-1015

LED cordless floor lamp - IP44



## Product specifications

Size: diameter 140mm | height 1400mm  
Material: ABS housing | PC diffuser | metal fixture

## Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

## Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1051

LED cordless floor lamp - IP44



### Product specifications

Size: diameter 220mm | height 1500mm  
Material: ABS housing | PC diffuser | metal fixture

### Technical specifications

1.5W	warm white 2700K	130 Lm	CRI>80
30,000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



## TL-RL-1052

LED cordless floor lamp - IP44



### Product specifications

Size: diameter 520mm | height 1500mm  
Material: ABS housing | PC diffuser | metal fixture

### Technical specifications

1.5W	2700K	130 Lm	CRI>80
30.000 hrs	Li-ion battery 2000mAh	≈ 3.0 hrs	7.0 hrs (100% intensity)
touch button	stepless dimmable 5%-100%	waterproof IP44	1m USB cable (adapter excl.)

For other technical specification options, please contact us.

### Weather & atmospheric resistant finish


snow white	golden rod	winter green	obsidian blue	jungle green
peach whip	orange rust	teaberry	fiery red	bellwether blue
sky blue	storm gray	laurel	classic blue	night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.



# TL-RL-1053













## LED cordless floor lamp - IP44



### Product specifications

Size: diameter 520mm | height 1500mm  
Material: ABS housing | PC diffuser | metal fixture

### Technical specifications

 1.5W	 2700K warm white	 130 Lm	 CRI>80
 30.000 hrs	 Li-ion battery 2000mAh	 ≈ 3.0 hrs	 7.0 hrs (100% intensity)
 touch button	 stepless dimmable 5%-100%	 waterproof IP44	 1m USB cable (adapter excl.)

 For other technical specification options, please contact us.

### Weather & atmospheric resistant finish

 snow white	 golden rod	 winter green	 obsidian blue	 jungle green
 peach whip	 orange rust	 teaberry	 fiery red	 bellwether blue
 sky blue	 storm gray	 laurel	 classic blue	 night black

All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.





**Tangla Lighting and Living Limited**  
唐拉光和家人有限公司

**HongKong Head Office 香港總公司**  
10F Mass Mutual Tower,  
33 Lockhart Road, Hong Kong  
香港灣仔洛克道 33 號萬通大廈 10 樓

**China Office 中國辦事處**  
No. 23, Room 1101, Building 1, No. 111 Nancheng section  
Guantai Road, Nancheng District, Dongguan City,  
Guangdong Province  
廣東省東莞市南城街道莞太路南城段 111 号 1 栋 1101 室 23

Mobile phone: +86 135 9017 5871  
E-mail: [ilovetangla@tanglalighting-living.com](mailto:ilovetangla@tanglalighting-living.com)

**[www.tanglalighting-living.com](http://www.tanglalighting-living.com)**

Our Wechat:



All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.

No text, layout, images or pictures can be used or reproduced for commercial purposes by third parties, including distributors, retailers, online shops and others, without the prior written consent of Tangla Lighting and Living Limited. The use of text, layout, images and pictures, or the reproduction of such publications in press both written and digital is only permitted when Tangla Lighting and Living Limited is listed as the official right holder and owner of the concept.

All our offers and agreements are subject to our conditions of sale. Upon request you will receive a copy of these terms and conditions. Photographs and images may differ slightly in colour and tone. No rights can be derived from images displayed on screen or printed matter.



All our LED bulbs and LED fixtures use LED technology based on Philips patents. We have entered a license agreement with Philips to be able to freely use these LED patents. Therefore, we offer you the option to buy our LED bulbs and LED fixtures under one of our Tangla sub brands. Should you decide to buy our LED products under your own private label than we cannot be hold responsible for patent risks related to the LED technology used in our LED products.

