

Tangla
Lighting & Living

collection 2025
functional
LED floor lamp






TLF7821-01E
LED floor lamp



buttons in the pole













remote control



Product specifications

Size: base diameter 230mm | height 1690mm | reading lamp length 510mm
Componets: metal fixture | PC diffuser | SMD 5050 RGB LED chips + SMD 2835 LED chips | velvet lampshade

Technical specifications

 24W	 2700K~6500K	 1000 Lm	 CRI>80
 360° rotatable	 60.000 hrs	 stepless dimmable 5%-100%	 night light mode
 30s delayed shutdown	 magnetic holding remote control		




TLF7821-01A
LED floor lamp



buttons in the pole













remote control



Product specifications

Size: base diameter 245mm | height 1690mm | reading lamp length 510mm
Componets: metal fixture | PC diffuser | SMD 5050 RGB LED chips + SMD 2835 LED chips | fabric lampshade

Technical specifications

 24W	 2700K~6500K	 1000 Lm	 CRI>80
 360° rotatable	 60.000 hrs	 stepless dimmable 5%-100%	 night light mode
 30s delayed shutdown	 magnetic holding remote control		




TLF7821-01C
LED floor lamp



buttons in the pole













remote control



Product specifications

Size: base diameter 245mm | height 1690mm | reading lamp length 510mm
Componets: metal fixture | PC diffuser | SMD 5050 RGB LED chips + SMD 2835 LED chips | fabric lampshade

Technical specifications

 24W	 2700K~6500K	 1000 Lm	 CRI>80
 360° rotatable	 60.000 hrs	 stepless dimmable 5%-100%	 night light mode
 30s delayed shutdown	 magnetic holding remote control		




TLF7821-01B
LED floor lamp



buttons in the pole













remote control



Product specifications

Size: base diameter 245mm | height 1700mm | reading lamp length 510mm
Componets: metal fixture | PC diffuser | SMD 5050 RGB LED chips + SMD 2835 LED chips | pental paper lampshade

Technical specifications

 24W	 2700K~6500K	 1000 Lm	 CRI>80
 360° rotatable	 60.000 hrs	 stepless dimmable 5%-100%	 night light mode
 30s delayed shutdown	 magnetic holding remote control		




TLF7821-01D
LED floor lamp



buttons in the pole













remote control



Product specifications

Size: base diameter 245mm | height 1690mm | reading lamp length 510mm
Componets: metal fixture | PC diffuser | SMD 5050 RGB LED chips + SMD 2835 LED chips | bamboo lampshade

Technical specifications

 24W	 2700K~6500K	 1000 Lm	 CRI>80
 360° rotatable	 60.000 hrs	 stepless dimmable 5%-100%	 night light mode
 30s delayed shutdown	 magnetic holding remote control		



TLF7821-01F LED floor lamp



buttons in the pole



remote control



Product specifications

Size: base diameter 245mm | height 1690mm | reading lamp length 510mm
Componets: metal fixture | PC diffuser | SMD 5050 RGB LED chips + SMD 2835 LED chips | corduroy lampshade

Technical specifications



24W



2700K~6500K



1000 Lm



CRI>80



360° rotatable



60.000 hrs



stepless dimmable
5%-100%



night light mode




delayed shutdown



magnetic holding
remote control












TLF7826-01E
LED floor lamp



Product specifications

Size: base diameter 245mm | height 1690mm | reading lamp length 510mm
Componets: metal fixture | PC diffuser | SMD 5050 RGB LED chips + SMD 2835 LED chips | velvet lampshade

Technical specifications

 24W	 2700K~6500K	 1000 Lm	 CRI>80
 60.000 hrs	 stepless dimmable 5%-100%	 night light mode	 30s delayed shutdown
 magnetic holding remote control			

TLF7826-01A


LED floor lamp



buttons in the pole



remote control



Product specifications

Size: base diameter 245mm | height 1690mm | reading lamp length 510mm
Componets: metal fixture | PC diffuser | SMD 5050 RGB LED chips + SMD 2835 LED chips | fabric lampshade

Technical specifications



24W



2700K~6500K



1000 Lm



CRI>80



60.000 hrs



stepless dimmable
5%-100%



night light mode




delayed shutdown



magnetic holding
remote control












TLF7826-01C
LED floor lamp



Product specifications


Size: base diameter 245mm | height 1690mm | reading lamp length 510mm
Componets: metal fixture | PC diffuser | SMD 5050 RGB LED chips + SMD 2835 LED chips | fabric lampshade

Technical specifications

 24W	 2700K~6500K	 1000 Lm	 CRI>80
 60.000 hrs	 stepless dimmable 5%-100%	 night light mode	 30s delayed shutdown
 magnetic holding remote control			












TLF7826-01B
LED floor lamp



Product specifications


Size: base diameter 245mm | height 1690mm | reading lamp length 510mm
Componets: metal fixture | PC diffuser | SMD 5050 RGB LED chips + SMD 2835 LED chips | pental paper lampshade

Technical specifications

 24W	 2700K~6500K	 1000 Lm	 CRI>80
 60,000 hrs	 stepless dimmable 5%-100%	 night light mode	 30s delayed shutdown
 magnetic holding remote control			












TLF7826-01D
LED floor lamp



Product specifications


Size: base diameter 245mm | height 1690mm | reading lamp length 510mm
Componets: metal fixture | PC diffuser | SMD 5050 RGB LED chips + SMD 2835 LED chips | bamboo lampshade

Technical specifications

 24W	 2700K~6500K	 1000 Lm	 CRI>80
 60,000 hrs	 stepless dimmable 5%-100%	 night light mode	 30s delayed shutdown
 magnetic holding remote control			












TLF7826-01F
LED floor lamp



Product specifications

Size: base diameter 245mm | height 1690mm | reading lamp length 510mm
Componets: metal fixture | PC diffuser | SMD 5050 RGB LED chips + SMD 2835 LED chips | corduroy lampshade

Technical specifications

 24W	 2700K~6500K	 1000 Lm	 CRI>80
 60.000 hrs	 stepless dimmable 5%-100%	 night light mode	 30s delayed shutdown
 magnetic holding remote control			



TLF7815-01BK
LED floor lamp



Product specifications

Size: base diameter 760mm | height 1650mm
Componets: metal fixture | PC diffuser | E27 A60 light bulb | corduroy lampshade

Technical specifications

 4W	 2700K	 806 Lm	 CRI>80
 50.000 hrs	 360° rotatable		

TLF7037-01GL

LED floor lamp



Product specifications

Size: base diameter 350mm | height 1650mm
Components: metal fixture | PC diffuser | E27 A60 light bulb | corduroy lampshade

Technical specifications



4W



2700K



806 Lm



CRI>80



50,000 hrs



360° rotatable

TLF7809-01BK


LED floor lamp



buttons in the pole









remote control



Product specifications

Size: base diameter 230mm | height 1690mm | reading lamp length 510mm
Componets: metal fixture | PC diffuser | SMD 5050 RGB LED chips + SMD 2835 LED chips

Technical specifications

 24W	 RGB light (main lamp)	 CCT 2700K~6500K	 1000 Lm
 CRI>80	 60.000 hrs	 320° rotatable	 360° rotatable
 stepless dimmable 5%-100%	 night light mode	 30s delayed shutdown	 magnetic holding remote control

 Tuya optional



TLF7820-01BK

LED floor lamp



buttons in the pole















remote control



Product specifications

Size: base diameter 235mm | height 1690mm
 Componets: metal fixture | PC diffuser | SMD 5050 RGB LED chips + SMD 2835 LED chips

Technical specifications

 24W	 RGB light	 2700K~6500K	 1000 Lm
 CRI>80	 60.000 hrs	 320° rotatable	 stepless dimmable 5%-100%
 night light mode	 30s delayed shutdown	 magnetic holding remote control	 Tuya optional




TLF7810-01BK
LED floor lamp



buttons in the pole



remote control



Product specifications

Size: base diameter 260mm | height 1720mm | reading lamp length 510mm
Componets: metal fixture | PC diffuser | SMD 5050 RGB LED chips + SMD 2835 LED chips

Technical specifications

 24W	 RGB light (main lamp)	 CCT 2700K~6500K	 1000 Lm
 CRI>80	 60.000 hrs	 320° rotatable	 360° rotatable
 stepless dimmable 5%-100%	 night light mode	 30s delayed shutdown	 magnetic holding remote control
 Tuya optional			

TLF7823-01BK

LED floor lamp



buttons in the pole















remote control



Product specifications

Size: base diameter 260mm | height 1720mm
 Componets: metal fixture | PC diffuser | SMD 5050 RGB LED chips + SMD 2835 LED chips

Technical specifications

 24W	 RGB light	 2700K~6500K	 1000 Lm
 CRI>80	 60.000 hrs	 320° rotatable	 stepless dimmable 5%-100%
 night light mode	 30s delayed shutdown	 magnetic holding remote control	 Tuya optional

TLF7807-01BK

LED floor lamp



buttons in the pole















remote control



Product specifications

Size: base diameter 260mm | height 1700mm
 Componets: metal fixture | PC diffuser | SMD 5050 RGB LED chips + SMD 2835 LED chips

Technical specifications

 24W	 RGB light	 2700K~6500K	 1000 Lm
 CRI>80	 60.000 hrs	 180° rotatable	 stepless dimmable 5%-100%
 night light mode	 30s delayed shutdown	 magnetic holding remote control	 Tuya optional



TLF7805-01BK
LED floor lamp



buttons in the pole



remote control



Product specifications

Size: base diameter 230mm | height 1690mm
Componets: metal fixture | PC diffuser | SMD 2835 LED chips

Technical specifications



12W



2700K~6500K



800 Lm



CRI>80



60,000 hrs



360° rotatable



stepless dimmable
5%-100%



night light mode



delayed shutdown



magnetic holding
remote control

TLF7822-01BK

LED floor lamp



buttons in the pole





remote control



Product specifications

Size: base diameter 200mm | height 1685mm
 Componets: metal fixture | PC diffuser | SMD 2835 LED chips

Technical specifications

 12W	 2700K~6500K	 800 Lm	 CRI>80
 60,000 hrs	 360° rotatable	 stepless dimmable 5%-100%	 night light mode
 30s delayed shutdown	 magnetic holding remote control		

TLF7806-01BK

LED floor lamp



buttons in the pole



remote control



Product specifications

Size: base diameter 200mm | height 1705mm
Componets: metal fixture | PC diffuser | SMD 2835 LED chips

Technical specifications



12W



2700K~6500K



800 Lm



CRI>80



60,000 hrs



360° rotatable



stepless dimmable
5%-100%



night light mode



delayed shutdown



magnetic holding
remote control



TLF7808-01BK
LED floor lamp



buttons in the pole



remote control



Product specifications

Size: width 250mm | length 450mm | height 1700mm
Componets: metal fixture | PC diffuser | SMD 2835 LED chips

Technical specifications



12W



2700K~6500K



800 Lm



CRI>80



60,000 hrs



350° rotatable



stepless dimmable
5%-100%



night light mode



delayed shutdown



magnetic holding
remote control



TLF7900-01BK
LED floor lamp



Product specifications

Size: base diameter 260mm | height 1800mm
Componets: metal fixture | R7s + G9 LED bulb

Technical specifications



12W



3000K



1120 Lm



CRI>80



30.000 hrs



360° rotatable



stepless dimmable
5%-100%
(reading lamp)

TLF7900-01BS

LED floor lamp



Product specifications


Size: base diameter 260mm | height 1800mm
Componets: metal fixture | R7s + G9 LED bulb

Technical specifications

 12W	 3000K	 1120 Lm	 CRI>80
 30,000 hrs	 360° rotatable	 stepless dimmable 5%-100% (reading lamp)	



TLF7900-01MS
LED floor lamp



Product specifications


Size: base diameter 260mm | height 1800mm
Componets: metal fixture | R7s + G9 LED bulb

Technical specifications

 12W	 3000K	 1120 Lm	 CRI>80
 30.000 hrs	 360° rotatable	 stepless dimmable 5%-100% (reading lamp)	









TLF7831-01BK
LED floor lamp



Product specifications

Size: base diameter 230mm | height 1750mm
Componets: metal fixture | PC diffuser | 2 x E27 A60 light bulb | fabric lampshade

Technical specifications

 8W	 2700K	 1612 Lm	 CRI>80
 50.000 hrs	 360° rotatable		



Tangla Lighting and Living Limited
唐拉光和生活有限公司

HongKong Head Office 香港總公司

10F Mass Mutual Tower,
33 Lockhart Road, Hong Kong
香港灣仔洛克道 33 號萬通大廈 10 樓

China Office 中國辦事處

No. 23, Room 1101, Building 1, No. 111 Nancheng section
Guantai Road, Nancheng District, Dongguan City,
Guangdong Province
廣東省東莞市南城街道莞太路南城段 111 号 1 栋 1101 室 23

Mobile phone: +86 135 9017 5871

E-mail: ilovetangla@tanglalighting-living.com

www.tanglalighting-living.com

Our Wechat:



All rights reserved. Copyright © Tangla Lighting and Living Limited on all texts, layout, images and pictures.

No text, layout, images or pictures can be used or reproduced for commercial purposes by third parties, including distributors, retailers, online shops and others, without the prior written consent of Tangla Lighting and Living Limited. The use of text, layout, images and pictures, or the reproduction of such publications in press both written and digital is only permitted when Tangla Lighting and Living Limited is listed as the official right holder and owner of the concept.

All our offers and agreements are subject to our conditions of sale. Upon request you will receive a copy of these terms and conditions. Photographs and images may differ slightly in colour and tone. No rights can be derived from images displayed on screen or printed matter.



All our LED bulbs and LED fixtures use LED technology based on Philips patents. We have entered a license agreement with Philips to be able to freely use these LED patents. Therefore, we offer you the option to buy our LED bulbs and LED fixtures under one of our Tangla sub brands. Should you decide to buy our LED products under your own private label than we cannot be hold responsible for patent risks related to the LED technology used in our LED products.

